











EINHELL. CORDLESS EXCELLENCE.THE BATTERY SYSTEM FOR YOUR HOME AND GARDEN.



Power X-Change	4
The Einhell Guarantee Promise	10
Professional Power Tools	12
Cordless Drills with Impact Function	14
Cordless Drills	17
Cordless Impact Wrenches	19
Cordless Impact Drivers	20
Cordless Rotary Hammers	21
Cordless Paint/Mortar Mixer	24
Cordless Angle Grinders	25
Cordless Router/Palm Router	30
Cordless Router	31
Cordless Palm Router	31
Cordless Planer	32
Cordless Circular Saw	32
Cordless Jigsaws	33
Cordless All Purpose Saw	34
Cordless Multifunctional Tool	34
Cordless Rotating Sander	35
Cordless Band Sander	35
Cordless Drywall Polishers	36
Cordless Lights	37
Cordless Nailer	38
Cordless Stapler	38
Cordless Wet and Dry Vacuum Cleaner	39
Professional Garden Tools	40
Robot Lawn Mower	41
Cordless Lawn Mowers	42
Cordless Earth Auger	47
Cordless Lawn Trimmer	47
Cordless Hedge Trimmer	48
Cordless Chainsaws	49
Cordless Leaf Blowers	51
Cordless Leaf Vacuum	53

Power Tools	54
Cordless Drill with Impact Function	55
Cordless Drills	55
Cordless Angle Drill	58
Cordless Drywall Screwdriver	58
Cordless Impact Driver	59
Cordless Hammer Drill	59
Cordless Rotary Hammers	60
Cordless Paint/Mortar Mixer	61
Cordless Angle Grinders	62
Cordless Biscuit JointerPlaner	64
Cordless Planer	64
Cordless Circular Saws	65
Cordless Mini Circular Saw	66
Cordless Jigsaws	67
Cordless All Purpose Saws	68
Cordless Bandsaws	69
Cordless Sliding Mitre Saws	70
Cordless Mitre Saws	72
Cordless Table Saw	73
Cordless Tile Cutting Machine	73
Cordless Multifunctional Tools	74
Cordless Rotating Sander	75
Cordless Orbital Sanders	75
Cordless Belt File	77
Cordless Grinding and Engraving Tool	77
Cordless Car Polishing Machine	78
Cordless Polishing/Sanding Machine	78
Cordless Blower	79
Cordless Sealing Gun	79
Cordless Paint Spray Systems	80
Cordless Radio	81
Cordless Speaker	81
Cordless Lights	82
Cordless Stapler/Nailer	85
Cordless Hot Glue Gun	85

Cordless Hot Air Gun	86
USB Battery Adapter	86
Accessories – Cases // Bags	87
System Cases E-Case	88
Cordless Wet and Dry Vacuum Cleaners	90
Cordless Handheld Vacuum Cleaners	93
Cordless Stick Vac Cleaner	94
Cordless Ash Vacuum Cleaner	96
Cordless Push Sweeper	96
Cordless Drain Cleaner	97
Cordless Pressure Cleaner	98
Cordless Window Cleaner	99
Cordless Hard Floor Cleaner	100
Cordless Coffee Machine	101
6-in-1 Cordless Hybrid Compressors	102
3-in-1 Cordless Compressors	103
Cordless Compressor	104
Cordless Portable Compressor	104
Cordless Car Compressor	105
Cordless Air Pump	105

Garden Tools	106
Robot Lawn Mowers	106
Cordless Lawn Mowers	110
Cordless Push Reel Mower	118
Petrol Lawn Mowers (Power X-Change Electric Start)	119
Cordless Scarifiers/Aerators	121
Cordless Tillers	123
	123
Cordless Spreader Cordless Universal Spreader	125
Cordless Onliversal Spreader Cordless Snow Thrower	125
	120
Cordless Scythes	127
Cordless Lawn Trimmers	
Cordless Lawn Edge Trimmer	132
Cordless Grout Cleaner	133
Cordless Surface Brushes	134
Cordless Hedge Trimmers	136
Cordless Multifunctional Tools	140
Cordless Pole-Mounted Pruners	142
Cordless Telescopic Hedge Trimmers	143
Cordless Olive and Fruit Harvester	144
Cordless Pruning Chainsaw	145
Cordless Chainsaws	146
Cordless Chain Sharpener	147
Cordless Leaf Vacuums	148
Cordless Universal Blower	150
Cordless Leaf Blower	150
Cordless Knife Shredder	151
Cordless Grass and Shrub Shears	152
Cordless Grass Shears	153
Cordless Pruning Saw	153
Cordless Pruning Shears	153
Cordless Pressure Sprayers	154
Accessory Battery Belt	156
Cordless Fan	156

Ctarter Vita	170
Starter Kits	170
Twin-Packs	169
Batteries	164
Accessories	164
Cordless Dirty Water Pumps	163
Cordless Clear Water Pumps	162
Rain Barrel Pump	.01
Cordless Submersible Pressure /	161
Cordless Garden Pumps	158
Cordless Automatic Garden Pump	158
` ,	
Cordless Hose Reels (Water)	157
with Rechargeable Battery	156
Gas Hot Air Generator	










CORDLESS FREEDOM. THE BATTERY SYSTEM FOR YOUR HOME AND GARDEN.

At last - no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.





1 BATTERY FITS ALL TOOLS. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

Just as versatile as you: Battery power for every situation.

With more than 300 battery operated DIY and garden tools, Power X-Change is already the broadest battery platform for the ambitious DIYer and amateur gardener. And it's not stopping there! By the year 2027 the battery platform will feature more than 450 tools. What's so special about it is that all products from the Power X Change platform can be operated with just one battery type (18 V).



POWERFUL MACHINES. LONG-LASTING BATTERIES.

Battery power for all your projects.

Less power? No way! Our cordless machines offer up to 2700 W of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.



EINHELL PROFESSIONAL.FOR THE HIGHEST DEMANDS.

Maximum performance now also for professionals.

With its Professional series of cordless tools, Einhell now also offers a high quality line that is equally suitable for demanding jobs in the commercial sector. Top quality standards, a full range of functions and an optimised design now help the professional user as well to achieve maximum performance on his or her assignments!

LATEST TECHNOLOGY. PROVEN QUALITY.

For the highest level of safety and performance.

Power X-Change batteries are the core component of our platform. That's why we use only the best components such as high-performance new-generation cells and our intelligent processor-controlled battery electronics. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability.









ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- **OPTIMISED TOOL POWER**
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY








TWIN-PACK TECHNOLOGY. 18V + 18V = 36V

If extra power is required for more power hungry tools, two 18 V battery packs can be simply combined in a single 36 V tool using Einhell's Twin-Pack technology. Doubling the voltage (V) automatically doubles the power (W) as well. Double Twin-Pack technology also lets you work longer without the hassle of having to recharge. In this case four batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.







PUREPOWER – BRUSHLESS DRIVE TECHNOLOGY FOR THE HIGHEST DEMANDS.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motors:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE









"We are incredibly proud to regularly get the best marks in competition with our strongest rivals, underlining our cordless expertise with rechargeable batteries."

Andreas Kroiss, CEO of Einhell Germany AG



CORDLESS EXCELLENCE THAT CONVINCES. ONLY FROM EINHELL.

It became clear to us early on that our customers wanted the freedom of cordless operation. We decided accordingly to concentrate fully on the sector of cordless technology and on the expansion of our Power X-Change system of rechargeable batteries. In numerous product tests carried out by prestigious trade journals and independent experts we have been rewarded with "top marks" and the position of "best in the test", confirming the outstanding quality of our products and underlining Einhell's bundled competence. It is our aim to inspire our customers with Einhell cordless power and to provide them with freedom, fun and enjoyment on all their jobs around the house and garden. This will make Power X-Change a synonym for cordless freedom.





THIS IS HOW: Find out more at einhell.de, reg**ister** in your customer account and **apply** for the warranty. Further information is available at www.einhell.de/en/services/ warranties/

einhell.de

>>>

THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantee too.

- Einhell Product Warranty Warranty extension for all Einhell products to 3 years.
- 30 Day Money-Back Guarantee For 100% satisfaction with your Power X-Change device.
- **Power X-Change Battery Warranty** Warranty extension for Power X-Change batteries to 3 years.
- PurePOWER Brushless Warranty Warranty extension for all PurePOWER Brushless products to 10 years.*







^{*} This warranty covers only defects in the engine that are due to a material or manufacturing defect!











Einhell Professional stands for top quality, maximum performance and maximum endurance.

This high-quality product line features top quality standards, a full range of functions and perfect design. As the result, Einhell Professional helps both the ambitious DIYer and the professional user in the commercial sector to achieve maximum performance on every job. Einhell is thus at home on the highest level with its familiar positioning "Brand name quality for the best price".

Einhell Professional tools convince with:

- TOP QUALITY
- MAXIMUM PERFORMANCE
- MAXIMUM RUNNING TIME
- MAXIMUM SERVICE LIFE
- OPTIMISED DESIGN
- PERFECT HANDLING FOR PROFESSIONAL USE

MAXIMUM PERFORMANCE.

MAXIMUM ENDURANCE.







TARGET GROUP: HEAVY-DIY AND COMMERCIAL USE.



NO COMPROMISES. **EXTENDED GUARANTEE FOR PROFESSIONAL TOOLS.**

Einhell delivers the quality expected of tools for commercial use. This is why we also offer an extended guarantee for all PROFESSIONAL tools:

Regular guarantee period 1 year Extension upon registration 2 years

Total guarantee period 3 years (1+2)

THIS IS HOW:

- 1. Inform yourself on einhell.de
- 2. Register in your customer account
- 3. Apply for the guarantee within 30 days of the date of purchase

www.einhell.de/en/services/warranties/









CORDLESS DRILLS WITH IMPACT FUNCTION 18 V



TP-CD 18/120 Li-i Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 2100 min⁻¹
- Impact rate (gear 1 / 2): 0 6500 / 0 27300 min⁻¹
 Torque (hard): 120 Nm

Article only available without battery / charger / case

Art. No. 45.143.10

		2.0 Ah						
>>> 2)	145 pcs	190 pcs	240 pcs	335 pcs	445 pcs	580 pcs	670 pcs	895 pcs
4) 60								

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

TP-CD 18/80 Li-i Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min⁻¹
- Impact rate (gear 1 / 2): 0 8000 / 0 28800 min⁻¹
- Torque (hard): 80 Nm

Article only available without battery / charger / case

Art. No. 45.143.05

					3.0 Ah				
ſ	>>> 2)	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs



PUREPOWER

- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle

TP-CD 18/60 Li-i Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min⁻¹
- Impact rate (gear 1 / 2): 0 8000 / 0 32000 min⁻¹
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box and 39-piece accessory set Art. No. 45.142.06

Without batteries / chargers / case

Art. No. 45.142.05

							6.0 Ah	
>>> 2)	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



Battery capacit

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge





CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

TP-CD 18 Li-i Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min⁻¹
- Impact rate (gear 1 / 2): 0 8000 / 0 28800 min⁻¹
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger and case E-Box

Art. No. 45.138.61

Without batteries / chargers / case

Art. No. 45.138.60

(III) ¹	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs





- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle

TP-CD 18/50 Li-i Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min⁻¹
- Impact rate (gear 1 / 2): 0 8000 / 0 28800 min⁻¹
- Torque (hard): 50 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger and case E-Box

Art. No. 45.139.40

Without batteries / chargers / case

Art. No. 45.139.42

							100	
								8.0 Ah
>>> 2)	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- 2-speed metal gear box



Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge





CORDLESS DRILLS 18 V



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



TP-CD 18/80 Li Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min⁻¹
 Torque (hard): 80 Nm
- Number of torque settings: 19+1

Article only available without battery / charger / case

Art. No. 45.143.00

	1.5 Ah							
>>> 2)	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs



Battery capacity
Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge





CORDLESS DRILLS 18 V

TP-CD 18/60 Li Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min⁻¹
- Torque (hard): 60 Nm
- Number of torque settings: 21+1

Article only available without battery / charger / case

Art. No. 45.142.10

1	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
į	>>> 2)	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



TP-CD 18/50 Li Brushless

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min⁻¹
- Torque (hard): 50 Nm
- Number of torque settings: 19+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.138.96

Without batteries / chargers / case

Art. No. 45.138.87

Ī	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
ı	>>> 2)	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs





- Brushless motor more power, prolonged operation
- 13 mm quick-change drill chuck
- 2-speed metal gear box

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge





CORDLESS IMPACT WRENCHES 18 V

IMPAXXO 18/400

PROFESSIONAL

- Idle speed: 0 1000 / 0 1500 / 0 2000 min⁻¹
- Torque (hard): 400 Nm
- Mount: External square drive mount 12.5 mm (½") incl. bit adapter and 3-piece nut-set

Article only available without battery / charger / case

Art. No. 45.100.70

		2.0 Ah						
>>> 2)	40 pcs	55 pcs	68 pcs	80 pcs	110 pcs	140 pcs	160 pcs	220 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 3 torque settings



IMPAXXO 18/230

PROFESSIONAL

- Idle speed: 0 2900 min⁻¹
- Torque (hard): 230 Nm
- Mount: External square drive mount 12.5 mm (½") incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.80

		2.0 Ah						
>>> 2)	75 pcs	100 pcs	125 pcs	150 pcs	200 pcs	260 pcs	300 pcs	400 pcs

- Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge





- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 1/2" external square drive mount







CORDLESS IMPACT DRIVER 18 V



- Brushless motor more power, prolonged operation
- Short and lightweight design
- High torque



TP-CI 18 Li Brushless

PROFESSIONAL

- Idle speed: 0 2900 min⁻¹
 Torque (hard): 180 Nm
 Mount: Internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.30

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>>> 2)	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs

Battery capacity Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge





CORDLESS ROTARY HAMMER 36 V





- Brushless motor more power, prolonged operation
- 4 functions
- **■** Twin-Pack Technology: 2x 18 V Power X-Change batteries - more power



HEROCCO 36/28

PROFESSIONAL

- Idle speed: 0 1100 min⁻¹
- Impact force: 3.2 J
- Drilling capacity, concrete: 28 mm
 Drill chuck: SDS-plus

Article includes case E-Box but no batteries / chargers

Art. No. 45.139.50

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	59 holes	79 holes	105 holes	126 holes	169 holes	222 holes	276 holes	338 holes

- $^{1)}$ Battery capacity (2x batteries required) $^{2)}$ Drilling in concrete (ø 8 mm / 50 mm) max. quantity per battery charge







CORDLESS ROTARY HAMMERS 18 V

TP-HD 18/26 Li Brushless

PROFESSIONAL

- Idle speed: 0 1200 min⁻¹
- Impact force: 2.6 |
- Drilling capacity, concrete: 26 mm
- Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.142.65

	I) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
)	3)	25 holes	32 holes	40 holes	50 holes	65 holes	80 holes	92 holes	125 holes

For best performance select a battery with at least 3.0 Ah



- Brushless motor more power, prolonged operation
- 4 functions
- Vibration-cushioned handle



HEROCCO 18/20

PROFESSIONAL

- Idle speed: 0 1200 min⁻¹
- Impact force: 2.2 J
- Drilling capacity, concrete: 20 mm
- Drill chuck: SDS-plus
- Incl.: Magnetic bit adapter

Article includes case E-Box but no battery / charger

Art. No. 45.139.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	250 pcs	335 pcs	417 pcs	500 pcs	670 pcs	870 pcs	1000 pcs	1340 pcs
>>> 3)	65 holes	87 holes	108 holes	130 holes	174 holes	225 holes	260 holes	348 holes

- 1) Battery capacity
- Screwing 6 x 60 mm screws into soft wood max. quantity per battery charge
 Drilling in concrete (ø 6 mm / 50 mm) max. quantity per battery charge





- Brushless motor more power, prolonged operation
- 4+1 functions
- Vibration-cushioned handle





CORDLESS ROTARY HAMMER D-HANDLE 18 V



TP-HD 18/26 D Li Brushless

PROFESSIONAL

- Idle speed: 0 1150 min⁻¹
- Impact force: 2.6 J

4 functions

- Drilling capacity, concrete: 26 mm
 Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.142.70

1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	27 holes	36 holes	45 holes	54 holes	72 holes	94 holes	108 holes	144 holes

- $^{1)}$ Battery capacity $^{2)}$ Drilling in concrete (ø 6 mm / 50 mm) max. quantity per battery charge









CORDLESS PAINT/MORTAR MIXER 18 V



- Brushless motor more power, prolonged operation
- 2-speed gear box
- **■** Electronic speed control
- Soft start

TP-MX 18-2 Li Brushless

- Idle speed: 0 450 / 0 720 min⁻¹
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 120 mm)

Article only available without battery / charger / case

Art. No. 42.587.70

PROFESSIONAL

72.67	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	>>> 2)	13 min	16 min	22 min	26 min	34 min	46 min	52 min	68 min
TE IN	>>> 3)	10 min	14 min	18 min	21 min	28 min	37 min	42 min	56 min
2	>>> 4)	6 min	11 min	14 min	16 min	22 min	28 min	32 min	44 min

- Discrete Battery capacity
 Discrete Max. operating time per battery charge in idle mode
 Discrete Mixing duration for wall paint per battery charge
 Discrete Mixing duration for mortar per battery charge











- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- Twin-Pack Technology: 2x 18 V Power X-Change batteries - more power

AXXIO 36/230 Q

PROFESSIONAL

- Cable equivalence class: 2200 W
 Idle speed: 6600 min⁻¹
- Wheel diameter: 230 mm
- Incl.: 1 quick fix nut

Article only available without batteries / chargers / case 3)

Art. No. 44.311.60

						4.0 Ah			
Ī	>>> 2)	24 pcs	32 pcs	41 pcs	48 pcs	62 pcs	81 pcs	93 pcs	124 pcs

- Battery capacity (2x batteries required)
 Cutting through pieces of round steel with 12 mm max. quantity per battery charge
 Cutting/grinding discs not included







AXXIO 18/150

PROFESSIONAL

- Cable equivalence class: 700 W
- Idle speed: 8500 min-1
- Wheel diameter: 150 mm
- Incl.: 1 cutting disc and 1 cutting guard

Article only available without battery / charger / case

Art. No. 44.311.44

		2.0 Ah						
>>> 2)	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Increased cutting depth thanks to larger disc diameter
- Disc guard with quick adjust facility

TP-AG 18/125 CE O Li

PROFESSIONAL

- Cable equivalence class: 900 W
 Idle speed: 3000 10500 min⁻¹
- Wheel diameter: 125 mm
- Incl.: 1 quick fix nut

Article only available without battery / charger / case 3)

Art. No. 44.311.55

		2.0 Ah						
>>> 2)	29 pcs	38 pcs	48 pcs	57 pcs	76 pcs	98 pcs	113 pcs	151 pcs

- Battery capacity
- 2) Cutting through pieces of round steel with 12 mm max. quantity per battery charge
- Cutting/grinding discs not included





- Speed regulation with LED display
- Constant electronics enables high load without speed loss







- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- Disc guard with quick adjust facility

AXXIO 18/125 Q

PROFESSIONAL

- Cable equivalence class: 700 W
 Idle speed: 8500 min⁻¹
- Wheel diameter: 125 mm
- Incl.: 1 quick fix nut and 1 cutting guard

Article only available without battery / charger / case 3)

Art. No. 44.311.51

		2.0 Ah						
>>> 2)	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

- Battery capacity
- 2) Cutting through pieces of round steel with 12 mm max. quantity per battery charge Cutting/grinding discs not included











- Soft start
- Disc guard with quick adjust facility

AXXIO 18/125

PROFESSIONAL

- Cable equivalence class: 700 W
 Idle speed: 8500 min⁻¹
 Wheel diameter: 125 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.40

		2.0 Ah						
>>> 2)	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

- Battery capacity
 Cutting through pieces of round steel with 12 mm max. quantity per battery charge
 Cutting/grinding discs not included





AXXIO 18/115 Q

PROFESSIONAL

- Cable equivalence class: 700 W
- Idle speed: 8500 min⁻¹
- Wheel diameter: 115 mm
- Incl.: 1 quick fix nut

Article only available without battery / charger / case 3)

Art. No. 44.311.50

	1.5 Ah							
>>> 2)	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- Disc guard with quick adjust facility

AXXIO 18/115

PROFESSIONAL

- Cable equivalence class: 700 W
- Idle speed: 8500 min⁻¹
- Wheel diameter: 115 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.54

								8.0 Ah
>>> 2)	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs



- Brushless motor more power, prolonged operation
- Soft start
- Disc guard with quick adjust facility

Battery capacity
 Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

³⁾ Cutting/grinding discs not included







CORDLESS ROUTER/PALM ROUTER 18 V

- Brushless motor more power, prolonged operation
- Electronic speed control
- Two attachments for maximum flexibility
- Depth adjustment with multi-step turret stop
- LED





TP-RO 18 Set Li Brushless

PROFESSIONAL

- Idle speed: 10000 30000 min⁻¹
- Stroke height: 40 mm / 35 mm
 Clamp: 6 + 8 mm
 Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.10

		2.0 Ah						
>>> 2)	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m

Battery capacity

Borowing in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge



CORDLESS ROUTER 18 V

TP-RO 18 Li Brushless

PROFESSIONAL

- Idle speed: 10000 30000 min-1
- Stroke height: 35 mm
- Clamp: 6 + 8 mm
- Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.11

		2.0 Ah						
>>> 2)	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m





- Brushless motor more power, prolonged operation
- **■** Electronic speed control
- Two-hand attachment with infinitely adjustable routing depth

CORDLESS PALM ROUTER 18 V

TP-ET 18 Li Brushless

PROFESSIONAL

- Idle speed: 10000 30000 min-1
- Stroke height: 40 mm
- Clamp: 6 + 8 mm
- Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.12

			2.0 Ah						
I	>>> 2)	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m



- **■** Electronic speed control
- Edge router base enables the chamfering of edges
- = LED



Battery capacity

²⁾ Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge





CORDLESS PLANER 18 V

TP-PL 18/3 Li Brushless

PROFESSIONAL

- Idle speed: 12000 min⁻¹
- Planing width: 82 mm
- Chip depth max.: 3 mmMax. rebate depth: 25 mm

Article only available without battery / charger A

Art. No. 43.454.05

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	19 m	26 m	32 m	38 m	50 m	65 m	78 m	100 m

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge







- Brushless motor more power, prolonged operation
- Powerful with a planing depth up to 3 mm
- Two-sided selectable chip ejection for flexible working
- Incl. parallel guide for precise planing results

CORDLESS CIRCULAR SAW 18 V

TP-CS 18/190 Li Brushless

PROFESSIONAL

- Idle speed: 3800 min-1
- Saw blade: ø 190 x ø 20/30 mm
- Cutting depth at 45° / 90°: 45 mm / 65 mm

Article only available without battery / charger / case

Art. No. 43.312.10

			2.5 Ah					
>>> 2)	18 m	24 m	30 m	37 m	49 m	63 m	73 m	98 m

- 1) Battery capacity
- 2) Cutting capacity for 19 mm chipboard max. cutting capacity per battery charge



- Brushless motor more power, prolonged operation
- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table





CORDLESS JIGSAWS 18 V

TP-JS 18/135 Li Brushless

PROFESSIONAL

- Stroke speed: 0 3500 min⁻¹
- Cutting depth (wood / plastic / steel): 135 / 20 / 10 mm
- Product weight: 2.1 kg (excl. battery)

Article includes high quality saw blade but no battery / charger / Art. No. 43,212,60 case

		2.0 Ah						
>>> 2)	11 m	14 m	18 m	21 m	29 m	37 m	43 m	57 m





- Brushless motor more power, prolonged operation
- Speed adjustment wheel
- Pendulum action (4 settings)
- Robust aluminium inner housing and base plate for reduced vibrations

TP-JST 18/135 Li Brushless

PROFESSIONAL

- Stroke speed: 0 3500 min⁻¹
- Cutting depth (wood / plastic / steel): 135 / 20 / 10 mm
 Product weight: 2.0 kg (excl. battery)

Article includes 3 high quality saw blades for wood but no battery / charger / case Art. No. 43,212,65

	1.5 Ah							
>>> 2)	11 m	14 m	18 m	21 m	29 m	37 m	43 m	57 m



- Brushless motor more power, prolonged operation
- T-style handle for easy tool guidance
- Speed adjustment wheel
- Pendulum action (4 settings)
- Robust aluminium inner housing and base plate for reduced vibrations



²⁾ Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge





CORDLESS ALL PURPOSE SAW 18 V

TP-AP 18/28 Li Brushless

PROFESSIONAL

- Stroke speed / height: 0 2500 min⁻¹ / 28 mm
- Cutting depth (wood / steel): 200 / 12 mm
- Saw blade thickness: 0.8 1.6 mm

Article includes high quality KWB saw blade but no battery / charger / case Art. No. 43,263,10

5	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	>>> 2)	170 pcs	226 pcs	332 pcs	417 pcs	556 pcs	723 pcs	834 pcs	1112 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- Round timber 35 mm max. number of cuts per battery charge



- Rotatable main handle
- Anti-vibration function

CORDLESS MULTIFUNCTIONAL TOOL 18 V

TP-MG 18 Li Brushless

PROFESSIONAL

- Oscillating speed: 22000 40000 min-1
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl.: 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.90

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	26 min	34 min	43 min	51 min	68 min	89 min	102 min	136 min
>>> 3)	510 pcs	680 pcs	850 pcs	1020 pcs	1356 pcs	1770 pcs	2035 pcs	2715 pcs
>>> 4)	108 pcs	144 pcs	180 pcs	216 pcs	288 pcs	375 pcs	432 pcs	576 pcs

- Battery capacity
- Max. operating time per battery charge in idle mode
 Round plastics 10 mm max. number of cuts per battery charge
 Round steel 6 mm max. number of cuts per battery charge







CORDLESS ROTATING SANDER 18 V

TP-RS 18/32 Li Brushless

PROFESSIONAL

- Oscillating speed: 6000 24000 min⁻¹
- Oscillating circuit ø: 3.2 mm
- Abrasive paper ø: 125 mm
- Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44,620.20

		2.0 Ah						
>>> 2)	22 min	29 min	36 min	44 min	58 min	75 min	87 min.	115 min.







- Removable additional handle
- Dust collector box with filter
- Electronic speed control
- Hook and loop fastening system
- Dust extraction

CORDLESS BAND SANDER 18 V

TP-BS 18/457 Li Brushless

PROFESSIONAL

- Grinding/sanding belt speed: 120 250 m/min
- Grinding/sanding area: 75 x 126 mm
- Grinding/sanding belt size: 75 x 457 mm
- Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.662.70

			2.0 Ah						
l	>>> 2)	15 min	22 min	18 min	22 min	30 min	38 min	44 min	59 min

- Brushless motor more power, prolonged operation
- Belt run adjustment
- Belt change without tools
- Dust extraction
- Integrated storage surface for stationary use

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode





CORDLESS DRYWALL POLISHERS 18 V

TP-DWS 18/225 Li Brushless

PROFESSIONAL

- Oscillating speed: 600 1200 min⁻¹
- Abrasive paper ø: 225 mm
- Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article only available without battery / charger / case

Art. No. 42.599.95

						5.2 Ah		
>>> 2)	18 min	24 min	29 min	35 min	47 min	61 min	70 min	93 min

- Brushless motor more power, prolonged operation
- Electronic speed control
- Spring-loaded sanding plate
- Fixable sanding plate, e.g. for sanding wood
- Dust extraction





TP-DW 18/225 Li

PROFESSIONAL

- Oscillating speed: 600 1200 min⁻¹
- Abrasive paper ø: 225 mm
 Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article includes case but no battery / charger Art. No. 42.599.90

		2.0 Ah						
>>> 2)	21 min	26 min	33 min	44 min	55 min	68 min	78 min	110 min



- Electronic speed control
- Swivelling brush ring
- Hook and loop fastening
- Dust extraction

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



NEW

CORDLESS LIGHTS 18 V

TP-CL 18/3000 Li Set

PROFESSIONAL

- Luminosity: 200 3000 lm
- Light range: 10 m
- Product weight: 3.3 kg (excl. battery)
- Light source: 60 LEDs

Article includes 1 telescopic tripod (85 - 170 cm) but no battery / charger / case Art. No. 45,141,70

0	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	2)	54 min	73 min	91 min	109 min	145 min	189 min	218 min	291 min

- Universal mounting via tripod thread (1/4" and 5/8", tripod incl.), suspension hooks and wall mount
- Infinitely dimmable
- Adjustable light panels up to 270°
- Swivelling lamp head





TP-CL 18/3000 Li

Luminosity: 200 - 3000 lm

- Light range: 10 m
- Product weight: 1.7 kg (excl. battery)
- Light source: 60 LEDs

Article only available without battery / charger / case

Art. No. 45.141.72

		2.0 Ah						
>>> 2)	54 min	73 min	91 min	109 min	145 min	189 min	218 min	291 min

- 1) Battery capacity
- ²⁾ Luminous period per battery charge at 3000 lm

- Universal mounting via tripod thread (1/4" and 5/8"), suspension hooks and wall mount
- Infinitely dimmable
- Adjustable light panels up to 270°
- Swivelling lamp head





CORDLESS NAILER 18 V

FIXETTO 18/50 N

PROFESSIONAL

- Max. working speed: 60 impacts per minute
- Nail length: 15 50 mm

Incl. 500 nails; Article only available without battery / charger / case Art. No. 42.577.95

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	630 pcs	840 pcs	1050 pcs	1260 pcs	1679 pcs	2183 pcs	2519 pcs	3358 pcs
>>> 3)	514 pcs	685 pcs	857 pcs	1028 pcs	1370 pcs	1781 pcs	2055 pcs	2740 pcs

- Battery capacity
 Number of nails (32 mm) in soft wood max. number per battery charge
 Number of nails (50 mm) in soft wood max. number per battery charge



- PressAir means: Maintenance-free. without extra costs and equipment
- Single or serial shots
- Cutting depth adjustment
- LED lighting on both sides
- Magazine with level indicator
- Safety lug



CORDLESS STAPLER 18 V

FIXETTO 18/38 S

PROFESSIONAL

- Max. working speed: 60 impacts per minute
- Staple length: 10 38 mm
- Staple width: 5.7 mm

Incl. 500 staples; article only available without battery / charger / Art. No. 42.577.85 case

I	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
ı	>>> 2)	585 pcs	780 pcs	975 pcs	1170 pcs	1560 pcs	2028 pcs	2340 pcs	3120 pcs
į	>>> 3)	638 pcs	850 pcs	1063 pcs	1275 pcs	1700 pcs	2210 pcs	2250 pcs	3400 pcs

- Battery capacity
- Number of staples (38 mm) in soft wood max. number per battery charge
 Number of staples (22 mm) in soft wood at maximum depth setting max. number per battery charge

- PressAir means: Maintenance-free. without extra costs and equipment
- Single or serial shots
- Cutting depth adjustment
- LED lighting on both sides
- Magazine with level indicator
- Safety lug















- Auto Start function automatic dust extraction when the connected cordless tool is started
- 2 speeds
- Twin-Pack Technology





PROFESSIONAL

TP-VC 36/30 S Auto

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 30 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
 Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.43

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
>>> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

- Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode (ECO mode)
 Max. operating time per battery charge in idle mode (BOOST mode)













ROBOT LAWN MOWER







- Brushless motor more power, prolonged operation
- Intuitive keypad with LCD display
- Sensors: Rain sensor and bump, tilt and lift sensors
- Multi-zone mowing for complex gardens
- Mowing program for border areas
- Spot mowing and edge mowing mode

FREELEXO SMART*

PROFESSIONAL

- For lawn areas of: up to approx. 750 m²
- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35 %
- Special mowing programs: Spot mowing and secondary area mode
- Included in delivery: Charging station

Incl. installation accessories (750 m²) and 1 battery (18 V | 3.0 Ah | Li-ion) Art. No. 34.138.11





CAN BE CONTROLLED FROM EVERYWHERE

Thanks to mobile internet connectability, a smartphone now lets you care for your lawn from wherever you might be.



SMART MODE

In Smart Mode the robot lawn mower automatically draws up a work schedule that is optimally coordinated with the weather, the size of the garden and the customer's preferences.



NETWORKABLE WITH EINHELL SMART TOOLS

Einhell Smart Tools work together automatically in Smart Mode.



YOU DON'T NEED WIFI OR BLUETOOTH

Unlimited range thanks to communication via the mobile phone network. **



WEATHER FORECASTS TAKEN INTO ACCOUNT

In Smart Mode the robot lawn mower takes weather forecasts into account when adjusting to local weather conditions in order to achieve the best possible results.

^{* 5-}year term of the web-based functions included. Details at 'www.einhell.de/iot-tarife'

^{**} Prerequisite: Available mobile network coverage; within the European Union.







RASARRO



RASARRO 36/42

PROFESSIONAL

- Cutting width: 42 cm
- For lawn areas of: up to approx. 725 m²
 Cutting height adjustment; 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 5.2 Ah | Li-lon) and 1 Twincharger

Art. No. 34.132.72

		2.0 Ah						
>>> 2)	250 m²	300 m²	350 m ²	450 m ²	550 m ²	725 m²	875 m²	1100 m ²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



TWIN-PACK **TECHNOLOGY**

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V.

We call that Twin-Pack Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.







RASARRO

RASARRO 36/40

PROFESSIONAL

- Cutting width: 40 cm
- For lawn areas of: up to approx. 500 m²
 Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 1 Twincharger

Art. No. 34.132.78

		2.0 Ah						
>>> 2)	220 m²	280 m²	330 m²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²

For best performance select batteries with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator

RASARRO 36/38

PROFESSIONAL

- Cutting width: 38 cm
- For lawn areas of: up to approx. 450 m²
- Cutting height adjustment: 6 levels / 25 75 mm / central


Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger

Art. No. 34.131.80

						5.2 Ah		
>>> 2)	250 m²	300 m²	330 m ²	400 m ²	450 m ²	700 m ²	800 m ²	900 m²

For best performance select batteries with at least 2.5 Ah





■ 3-in-1 function: mowing, mulching, catching

■ Telescopic long handle



Battery capacity (2x batteries required)
 Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)









GP-CM 36/41 Li Brushless

PROFESSIONAL

- Cutting width: 41 cm
- For lawn areas of: up to approx. 500 m²
 Cutting height adjustment: 6 levels / 25 75 mm / central

Article only available without batteries / chargers Art. No. 34.132.75

III) 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	220 m²	280 m²	330 m ²	425 m²	500 m ²	700 m ²	850 m ²	1000 m ²

- Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)







- Brushless motor more power, prolonged operation
- 4-in-1 function: mowing. mulching, catching, side discharge
- LED front light to illuminate the mowing area
- Vario-Speed optimum adjustment of the speed
- Steel deck sturdy, robust, long-lasting



GP-CM 36/52 S Li Brushless

PROFESSIONAL

- Cutting width / for lawn areas of: 52 cm / up to approx. 1200 m²
- Cutting height adjustment: 9 levels / 25 80 mm / central
- Debris bag volume: 65 l

Incl. 4 batteries (18 V | 5.2 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.133.20

	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
I	>>> 2)	225 m ²	275 m ²	315 m ²	350 m ²	450 m²	600 m ²	700 m ²	800 m ²
	>>> 3)	450 m ²	550 m ²	630 m ²	700 m ²	900 m²	1200 m²	1400 m ²	1600 m ²

- Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge with 2 batteries
 Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)







GP-CM 36/47 S Li Brushless

PROFESSIONAL

- Cutting width / for lawn areas of: 47 cm / up to approx. 700 m²
- Cutting height adjustment: 9 levels / 25 80 mm / central
- Debris bag volume: 65 l

Incl. 4 batteries (18 V | 4.0 Ah | Li-lon) and 2 Twinchargers

Art. No. 34.133.10

	1111) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	>>> 2)	125 m²	175 m²	215 m²	250 m ²	350 m ²	500 m ²	600 m²	700 m ²
ſ	>>> 3)	250 m ²	350 m ²	430 m²	500 m ²	700 m ²	1000 m ²	1200 m²	1400 m²

For best performance select batteries with at least 2.5 Ah



NEW

- Brushless motor more power, prolonged operation
- 4-in-1 function: mowing, mulching, catching, side discharge
- LED front light to illuminate the mowing area
- Vario-Speed optimum adjustment of the speed
- Steel deck sturdy, robust, long-lasting

GP-CM 36/47 S HW Li Brushless

PROFESSIONAL

- Cutting width / for lawn areas of: 47 cm / up to approx. 700 m²
- Cutting height adjustment: 6 levels / 30 65 mm / central
- Debris bag volume: 75 l

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.132.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	125 m²	175 m²	215 m ²	250 m ²	350 m ²	500 m ²	600 m²	700 m ²
>>> 3)	250 m²	350 m²	430 m²	500 m ²	700 m ²	1000 m ²	1200 m²	1400 m²

- 1) Battery capacity (2x batteries required)
- Max. lawn area that can be mown per battery charge with 2 batteries
 Max. lawn area that can be mown per battery charge with 4 batteries
 (The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor more power, prolonged operation
- Side ejector perfect for high grass
- No catch bag included natural fertilisation
- Vario-Speed optimum adjustment of the speed
- Steel deck sturdy, robust, long-lasting











CORDLESS EARTH AUGER 18 V

GP-EA 18/150 Li Brushless

PROFESSIONAL

- Drilling diameter: 150 mm
- Drill bit length: 800 mm
- Speed: 125 min⁻¹

Article only available without battery / charger Art. No. 34.370.00

		2.0 Ah						
>>> 2)	10 pcs	15 pcs	20 pcs	30 pcs	40 pcs	50 pcs	60 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- ²⁾ Max. number of drill holes (depth 40 cm, mixed soil) per battery charge

CORDLESS LAWN TRIMMER 36 V

GP-CT 36/35 Li Brushless

PROFESSIONAL

- Cutting width: 35 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.30

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	25 min	30 min	35 min	45 min	60 min	70 min	95 min	120 min
>>> 3)	15 min	20 min	25 min	35 min	45 min	55 min	65 min	90 min

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time in ECO mode per battery charge
- 3) Max. operating time per battery charge (BOOST mode)



- Brushless motor more power, prolonged operation
- Clockwise and counter-clockwise operation
- Robust steel frame







- Brushless motor more power, prolonged operation
- Double-curved, ergonomic guide bar
- Bump feed system



Tested and recommended by Forum: Gesunder Rücken – besser leben e.V. and Bundesverband deutscher Rückenschulen (BdR) e.V.

More information available from: AGR e.V., Stader Str. 6, 27432 Bremervörde, Tel. +49 4761/92 63 580, www.agr-ev.de







CORDLESS HEDGE TRIMMER 18 V



- Anti-jam system
- 2 speeds
- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

GP-CH 18/61 Li Brushless

PROFESSIONAL

- Bar length / cutting length: 670 mm / 610 mm
 Spacing between teeth: 26 mm

Article only available without battery / charger Art. No. 34.109.35

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	29.5 min	39 min	49 min	59 min	78 min	102 min	118 min	156 min
>>> 3)	20 min	27 min	33 min	40 min	53 min	69 min	80 min	106 min

- Battery capacity
 Max. operating time in idle mode per battery charge (ECO mode)
 Max. operating time in idle mode per battery charge (BOOST mode)





TOP-HANDLED CORDLESS CHAINSAW 18 V



- Brushless motor more power, prolonged operation
- Tip guard and kickback protection with instant reaction mechanical chain brake
- Perfectly suited for branch removal and tree maintenance

FORTEXXA 18/20 TH

PROFESSIONAL

- Bar length / cutting length: 200 mm / 140 mm
- Cutting speed: 7 m/s
- Oil tank capacity: 75 ml

Article only available without battery / charger Art. No. 46.000.20

	1.5 Ah							
>>> 2)	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	210 pcs	240 pcs	320 pcs

For best performance select a battery with at least 2.5 Ah

- Battery capacity
 Max. cuts through 70 x 70 mm square timber per battery charge

WARNING: This chainsaw may only be used by trained tree careworkers. Misactions in compliance with safety instructions may cause serious injuries.









CORDLESS CHAINSAW 36 V



- Brushless motor more power, prolonged operation
- **Toolless chain tensioning and changing**
- Automatic chain lubrication

GP-LC 36/35 Li Brushless

PROFESSIONAL

- Bar length / cutting length: 350 mm / 330 mm
 Cutting speed: 15 m/s
 Oil tank capacity: 115 ml

Article only available without batteries / chargers Art. No. 45.017.80

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

- Battery capacity (2x batteries required)
 Max. cuts through 70 x 70 mm square timber per battery charge







GP-LB 36/210 Li E Brushless

PROFESSIONAL

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 816 m³/h
 Product weight: 2.4 kg (excl. batteries)

Article only available without batteries / chargers Art. No. 34.336.20

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	7-40 min	10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min
>>> 3)	3 min	4 min	5 min	8 min	10 min	12 min	14 min	20 min

- Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode dependent on the selected speed
 Max. operating time per battery charge in idle mode in TURBO mode







CORDLESS LEAF BLOWERS 18 V

GP-LB 18/200 Li GK Brushless

PROFESSIONAL

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
 Product weight: 2.2 kg (excl. battery)

Article only available without battery / charger Art. No. 34.335.50

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
>>> 3	-	_	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

- Brushless motor more power. prolonged operation ■ Turbo function
- Electronic speed control
- Incl. gutter cleaning set



GP-LB 18/200 Li E Brushless

PROFESSIONAL

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
- Product weight: 2.2 kg (excl. battery)

Article only available without battery / charger Art. No. 34.335.55

(IIII) ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
>>> 3)	-	-	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

Turbo function Electronic speed control

prolonged operation

■ Brushless motor – more power,



- 1) Battery capacity
- Max. operating time per battery charge in idle mode dependent on the selected speed
 Max. operating time per battery charge in idle mode in TURBO mode





CORDLESS LEAF VACUUM 36 V

TWIN-PACK 18V] + 18V J > 36 V TECHNOLOGY



- Brushless motor more power, prolonged operation
- Toolless change between suction and blowing function
- Turbo function



VENTURRO 36/240

- Max. blow velocity: 240 km/h
- Max. suction power: 740 m³/h
- Shredding function: 10:1
- Product weight: 4.0 kg

Article only available without batteries / chargers Art. No. 34.336.40

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	7-17 min	9-23 min	10-27 min	14-35 min	17-46 min	21-56 min	27-70 min	34-92 min
>>> 3)	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min
>>> 4)	7-19 min	9-25 min	10-28 min	14-37 min	18-49 min	21-58 min	28-74 min	36-98 min
>>> 5)	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min

- Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
 Max. operating time per battery charge in idle mode (TURBO vacuuming mode)
 Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed
 Max. operating time per battery charge in idle mode (TURBO blowing mode)







CORDLESS DRILL WITH IMPACT FUNCTION 18 V

TE-CD 18/48 Li-i

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min⁻¹
- Impact rate (gear 1 / 2): 0 6400 / 0 24000 min⁻¹
- Torque (hard): 48 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Art. No. 45.139.35

Without batteries / chargers / case

Art. No. 45.139.26

					4.0 Ah			
>>> 2)	230 pcs	310 pcs	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs	1240 pcs

- 13 mm metal drill chuck
- Additional handle
- LED light



CORDLESS DRILLS 18 V

TE-CD 18/45 3X-Li

- Idle speed (gear 1 / 2): 0 450 / 0 1600 min⁻¹
- Torque (hard): 45 Nm
- Number of torque settings: 20+1

Incl. 1 battery (18 V | 2.0 Ah | Li-lon), 1 charger, case E-Box and Art. No. 45.139.90 22-piece accessory set

		2.0 Ah						
>>> 2)	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs





- Removable drill chuck
- 90° angle extension
- Eccentric extension

 $^{^{9}}$ Battery capacity 2 Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



CORDLESS DRILLS 18 V

TE-CD 18/2 Li

- Idle speed (gear 1 / 2): 0 350 / 0 1250 min⁻¹
- Torque (hard): 44 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V|2.0 Ah|Li-Ion), 1 charger and case E-Box Art. No. 45.142.31

		2.0 Ah						
>>> 2)	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs



- 2-speed metal gear box
- LED light
- Belt clip

TE-CD 18/40 Li Brushless

- Idle speed (gear 1 / 2): 0 350 / 0 1450 min⁻¹
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger and case E-Box

Art. No. 45.139.95

Without batteries / chargers / case Art. No. 45.139.97

1111 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>>> 2)	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	780 pcs	900 pcs	1200 pcs



- Brushless motor more power, prolonged operation
- 2-speed metal gear box
- Lightweight and handy design



 $^{^{9}}$ Battery capacity 2 Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



CORDLESS DRILLS 18 V

TE-CD 18/40 Li

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min⁻¹
- Torque (hard): 40 Nm
- Number of torque settings: 21+1

Incl. 2 batteries (18 V | 1.5 Ah | Li-Ion), 1 charger and 1 case E-Box

Art. No. 45.139.39

Without batteries / chargers / case

Art. No. 45.139.25

		2.0 Ah						
>>> 2)	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs

- 2-speed metal gear box
- LED light
- Quick stop



TC-CD 18/35 Li

- Idle speed: 0 550 min⁻¹
- Torque (hard): 35 Nm
- Number of torque settings: 21+1

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger (0.8 A)

Art. No. 45.139.14

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger (3 A)

Art. No. 45.142.55

Without battery / charger / case

Art. No. 45.139.27

	1.5 Ah							
>>> 2)	220 pcs	295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs	1180 pcs



- 10 mm drill chuck
- Quick stop
- LED light

 $^{^{9}}$ Battery capacity 2 Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



CORDLESS ANGLE DRILL 18 V

TE-AD 18 Li

- Idle speed: 0 1100 min⁻¹
- Torque (hard): 45 Nm
- Drill chuck: 10 mm

Article only available without battery / charger / case

Art. No. 45.142.90

	1.5 Ah							
>>> 2)	155 pcs	205 pcs	260 pcs	310 pcs	415 pcs	535 pcs	620 pcs	830 pcs

Battery capacity



CORDLESS DRYWALL SCREWDRIVER 18 V

TE-DY 18 Li

- Idle speed: 0 4000 min⁻¹
- Torque (soft): 6 Nm
- Bit mount: Internal hexagon 6.35 mm (¼")

Article includes case E-Box but no battery / charger

Art. No. 42.599.80

(IIII) ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	800 pcs	1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs	4400 pcs

- Battery capacity
- ²⁾ Screwing 3.9 x 25 mm screws into drywall max. quantity per battery charge

- Continuous operation setting Toolless depth adjustment
- Electronic speed control



²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



CORDLESS IMPACT DRIVER 18 V

TE-CI 18/1 Li

- Idle speed: 0 2300 min⁻¹
- Torque (hard): 140 Nm
- Mount: Internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45,100,34

	1.5 Ah							
>>> 2)	140 pcs	185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs	740 pcs

¹⁾ Battery capacity



- Short design ■ 3 power LEDs
- Belt clip

CORDLESS HAMMER DRILL 18 V

TE-ID 18 Li

- Idle speed: 0 2600 min⁻¹
- Impact rate: 0 41600 min⁻¹
- Drilling capacity, concrete: 13 mm

Article only available without battery / charger / case

Art. No. 45.139.60

								8.0 Ah
>>>> 2)	45 pcs	60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs	240 pcs
1) m								

- Battery capacity
 9 6 mm / 45 mm into brick max. quantity per battery charge



²⁾ Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery





CORDLESS ROTARY HAMMERS 18 V

TE-HD 18/20 Li

Idle speed: 0 - 1300 min⁻¹

■ Impact force: 1.8 |

Drilling capacity, concrete: 20 mm

■ Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.142.60

(1111) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	30 holes	39 holes	49 holes	60 holes	78 holes	103 holes	117 holes	156 holes

For best performance select a battery with at least 2.5 Ah

- 4 functions
- Electronic speed control
- LED light



TE-HD 18/12 Li

Idle speed: 0 - 1300 min⁻¹

■ Impact force: 1.3 |

Drilling capacity, concrete: 12 mm

Drill chuck: SDS-plus

Incl.: Magnetic bit adapter

Article only available without battery / charger / case

Art. No. 45.139.70

(1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	136 pcs	185 pcs	226 pcs	270 pcs	360 pcs	474 pcs	540 pcs	720 pcs
>>> 3)	34 holes	45 holes	57 holes	82 holes	96 holes	140 holes	166 holes	182 holes

- 1) Battery capacity
- ² Screwing 6 x 60 mm screws into soft wood max, quantity per battery charge ³ Drilling in concrete (ø 6 mm / 50 mm) max. quantity per battery charge



- 2+1 functions
- Electronic speed control
- LED light

CORDLESS PAINT/MORTAR MIXER 18 V



- Ergonomic, handy design
- **■** Electronic speed control
- Soft start

TE-MX 18 Li

- Idle speed: 0 620 min⁻¹
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 100 mm)

Article only available without battery / charger / case

Art. No. 42.587.60

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	18 min	24 min	30 min	36 min	48 min	62 min	72 min	96 min
>>> 3)	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min
>>> 4)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min

- Battery capacity
 Max. operating time per battery charge in idle mode
 Mixing duration for wall paint per battery charge
 Mixing duration for mortar per battery charge





CORDLESS ANGLE GRINDERS 18 V

TE-AG 18/115 Q Li

Idle speed: 8500 min⁻¹

■ Wheel diameter: 115 mm

■ Max. cutting depth: 28 mm ■ Incl.: 1 quick fix nut and 1 cutting guard

Article only available without battery / charger / case 3)

Arτ.	INO.	44.3	ı	1.0

						5.2 Ah		
>>>> 2)	23 pcs	29 pcs	35 pcs	46 pcs	58 pcs	70 pcs	90 pcs	115 pcs

For best performance select a battery with at least 2.5 Ah



TE-AG 18/115-2 Li

Idle speed: 8500 min-1

■ Wheel diameter: 115 mm Max. cutting depth: 28 mm

Incl.: 1 cutting guard

Article only available without battery / charger / case 3)

Art. No. 44.311.66

						5.2 Ah		
>>>> 2)	23 pcs	29 pcs	35 pcs	46 pcs	58 pcs	70 pcs	90 pcs	115 pcs

■ Cutting guard - equipped for a wide range of applications

Disc guard with quick adjust facility

Soft start



Battery capacity
 Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 Cutting/grinding discs not included



CORDLESS ANGLE GRINDERS 18 V

TE-AG 18/115 Li

■ Idle speed: 8500 min⁻¹

Wheel diameter: 115 mm

Max. cutting depth: 28 mm

Incl. 1 battery (18 V | 4.0 Ah | Li-lon), 1 charger, 1 cutting disc, 1 grinding disc, 1 cutting guard, Einhell Bag 45/22 Art. No. 44.311.34

Without battery / charger / case 3)

Art. No. 44.311.10

		2.0 Ah						
>>> 2)	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah



- Disc guard with quick adjust facility
- Spindle lock

TC-AG 18/115 Li

Idle speed: 8500 min-1

■ Wheel diameter: 115 mm Max. cutting depth: 28 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.30

		2.0 Ah						
>>> 2)	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

Soft start Restart safeguard Spindle lock

Battery capacity
 Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 Cutting/grinding discs not included



CORDLESS BISCUIT JOINTER 18 V

TE-BI 18 Li

Idle speed: 6500 min⁻¹

Max. cutting depth: 20 mm ■ Tilt angle adjustment: 90°

■ Channel cutter: ø 100 x 22 x 4 mm

Article only available without battery / charger

Art. No. 43.506.30

	1.5 Ah							
>>> 2)	212 pcs	283 pcs	353 pcs	424 pcs	566 pcs	735 pcs	840 pcs	1132 pcs

Battery capacity

■ Infinitely adjustable angle setting up to 90° ■ 6-step quick adjustment of cutting depth Suitable for standard biscuit dowel sizes up to type 20 Complete with dust bag for dust-free

working

CORDLESS PLANER 18 V

TE-PL 18/82 Li

Idle speed: 15000 min⁻¹

■ Planing width: 82 mm

Chip depth max.: 2 mm

Max. rebate depth: 8 mm

Article only available without battery / charger Art. No. 43.454.00

				3.0 Ah				
>>> 2)	16 m	25 m	28 m	37 m	48 m	58 m	78 m	96 m

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

²⁾ Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge



- Powerful with a planing depth up to 2 mm
- Automatic park rest for added safety
- Incl. parallel guide for precise planing results

²⁾ Max. number of cuts in pinewood for Type 10 flat dowels per battery charge



CORDLESS CIRCULAR SAWS 18 V

TE-CS 18/165-1 Li

- Idle speed: 4200 min⁻¹
- Saw blade: ø 165 x ø 20 mm
- Cutting depth at 45° / 90°: 35 mm / 54 mm

Article only available without battery / charger / case

Art. No. 43.312.07

	1.5 Ah							
>>> 2)	25 m	33 m	40 m	49 m	64 m	82 m	98 m	128 m

- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



TE-CS 18/150 Li

- Idle speed: 4200 min⁻¹
- Saw blade: ø 150 x ø 10/16 mm
- Cutting depth at 45° / 90°: 32 mm / 48 mm

Article only available without battery / charger / case

Art. No. 43.312.20

(1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	23 m	30 m	38 m	45 m	60 m	78 m	90 m	120 m



- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table

 $^{^{9)}}$ Battery capacity 20 Cutting capacity for 19 mm chipboard - max. cutting capacity per battery charge



CORDLESS MINI CIRCULAR SAW 18 V



TE-CS 18/89 Li

- Idle speed: 2500 min-1
- Saw blade: ø 89 x ø 10 mm
 Cutting depth 90°: 28 mm

Incl. 1 TCT sawblade, 1 HSS sawblade, 1 parallel stop but no battery / charger / case Art. No. 43.311.00

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	26 m	36 m	50 m	57 m	72 m	104 m	120 m	144 m

- Battery capacity
 Cutting capacity for 19 mm chipboard max. cutting capacity per battery charge



CORDLESS JIGSAWS 18 V

TE-JS 18/80 Li

- Stroke speed: 0 2400 min⁻¹
- Cutting depth (wood / plastic / steel): 80 / 12 / 10 mm
- Product weight: 1.8 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 43.212.00

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

- Universal blade holder
- Pendulum action (4 settings)
- Blade change without tools
- LED light



TC-IS 18 Li

- Stroke speed: 0 2700 min⁻¹
- Cutting depth (wood / plastic / steel): 70 / 10 / 8 mm
- Product weight: 1.8 kg (excl. battery)

Incl. 1 battery (18 V | 2.5 Ah | Li-lon), 1 charger, 3 saw blades (wood), 2 saw blades (metal) and case E-Box Art. No. 43.212.28

Article includes high quality saw blade but no battery / charger / case Art. No. 43.212.09

(IIII) ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m



- Pendulum action (4 settings)
- **Blade change without tools**
- **Dust-blower function**

 $^{^{9}}$ Battery capacity 2 Cutting capacity for 19 mm chipboard — max. cutting capacity per battery charge



CORDLESS ALL PURPOSE SAWS 18 V

TE-AP 18/26 Li

- Stroke speed / height: 0 2600 min⁻¹ / 26 mm
- Cutting depth (wood / steel): 180 / 12 mm
- Saw blade thickness: 0.7 1.8 mm

Incl. high quality saw blade but no battery / charger / case

Art. No. 43.262.90

								8.0 Ah
>>> 2)	155 pcs	207 pcs	260 pcs	311 pcs	414 pcs	572 pcs	640 pcs	854 pcs



TE-AP 18/22 Li

- Stroke speed / height: 0 2600 min⁻¹ / 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Saw blade thickness: 0.6 1.6 mm

Article only available without battery / charger / case

Art. No. 43,263,00

	1.5 Ah							
>>> 2)	140 pcs	185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs	740 pcs



- Blade change without tools
- Soleplate adjustment without tools
- Ergonomic, compact design

68

Battery capacity
 Round timber 35 mm – max. number of cuts per battery charge



CORDLESS BANDSAWS 18 V

TE-MB 18/127 Li

- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm.
- Number of teeth: 10/14 TPI combi tooth pitch
- Incl.: 2 saw bands

Article only available without battery / charger Art. No. 45.042.16

		2.0 Ah						
>>> 2)	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs

- High cutting capacity of 115 mm x 127 mm
- Cutting metal, wood, plastic etc. possible
- LED light



TE-MB 18/127 U Li

- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm
- Number of teeth: 10/14 TPI combi tooth pitch
- Mitre cut: 0° to 47° to the left
- Incl.: 2 saw bands and workbench

Article only available without battery / charger Art. No. 45.042.15

		2.0 Ah						
>>> 2)	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs



- High cutting capacity of 115 mm x 127 mm
- Cutting metal, wood, plastic etc. possible
- For flexible use with or without the base frame

 $^{^{1)}}$ Battery capacity $^{2)}$ Square steel tube 40 x 40 x 2 mm - max. number of cuts per battery charge





CORDLESS SLIDING MITRE SAWS 36 V





TWIN-PACK 18V]+ 18V] 36 V TECHNOLOGY

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe
- Powerful 36 V motor (2x 18 V)
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting

TE-SM 36/10 L Li

- Speed: 3800 min⁻¹
- Saw blade / number of teeth: HM ø 254 x ø 30 x 2.5 mm / T40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity 90° x 90°: 340 x 85 mm

Article only available without batteries / chargers Art. No. 43.008.85

IIII) 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	131 pcs	175 pcs	219 pcs	263 pcs	350 pcs	456 pcs	526 pcs	701 pcs
>>> 3)	268 pcs	358 pcs	447 pcs	537 pcs	716 pcs	931 pcs	1074 pcs	1432 pcs

- Battery capacity (2x batteries required)
 Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge
 Laminate 195 x 8 mm max. number of cuts per battery charge



CORDLESS SLIDING MITRE SAWS 36 V

TE-SM 36/210 Li

- Speed: 3800 min⁻¹
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / T40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity 90° x 90°: 310 x 65 mm

Article only available without batteries / chargers Art. No. 43.008.80

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	140 pcs	185 pcs	230 pcs	275 pcs	370 pcs	480 pcs	555 pcs	740 pcs
>>> 3)	263 pcs	350 pcs	435 pcs	525 pcs	700 pcs	910 pcs	1050 pcs	1400 pcs





- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting

TE-SM 36/8 L Li

- Speed: 3000 min⁻¹
- Saw blade / number of teeth: HM ø 216 x ø 30 x 1.8 mm / T40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity 90° x 90°: 305 x 65 mm

Article only available without batteries / chargers Art. No. 43.008.82

	1.5 Ah							
>>> 2)	145 pcs	188 pcs	250 pcs	289 pcs	385 pcs	500 pcs	578 pcs	771 pcs
>>> 3)	278 pcs	370 pcs	466 pcs	556 pcs	741 pcs	964 pcs	1112 pcs	1483 pcs

- Specially developed high-quality precision saw blade
- Cutting line laser to make work easier
- Powerful 36 V motor (2x 18 V)





- Battery capacity (2x batteries required)
 Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge
 Laminate 195 x 8 mm max. number of cuts per battery charge

CORDLESS MITRE SAWS 18 V

TE-MS 18/210 Li

- Speed: 3000 min⁻¹
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / T40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity 90° x 90°: 120 x 60 mm

Article only available without battery / charger Art. No. 43.008.90

								8.0 Ah
>>> 2)	72 pcs	103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting



TE-MS 18/8 Li

- Speed: 3000 min⁻¹
- Saw blade / number of teeth: HM ø 216 x ø 30 x 1.8 mm / T40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity 90° x 90°: 120 x 60 mm

Article only available without battery / charger Art. No. 43.008.93

	1.5 Ah							
>>> 2)	98 pcs	131 pcs	170 pcs	197 pcs	262 pcs	341 pcs	393 pcs	524 pcs



- Specially developed high-quality precision saw blade
- Chip collector for optimum extraction

¹⁾ Battery capacity

²⁾ Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge





CORDLESS TABLE SAW 36 V

TE-TS 36/210 Li

- Speed: 3800 min⁻¹
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / T40
- Cutting height 90° / 45°: 70 mm / 45 mm
- Max. cutting capacity on the right: 625 mm

Article only available without batteries / chargers Art. No. 43.404.50

		2.0 Ah						
>>> 2)	45 m	60 m	71 m	92 m	122 m	160 m	184 m	244 m

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- 2) OSB panel 19 mm max. cutting range per battery charge





- Specially developed high-quality precision saw blade
- Sturdy aluminium table
- Holders for stowing away all the attachments

CORDLESS TILE CUTTING MACHINE 18 V

TE-TC 18/115 Li

- Speed: 3800 min⁻¹
- Cutting wheel: ø 115 x ø 22.2 x 1.4 mm
- Cutting height 90° / 45°: 24 mm / 16 mm
- Angle stop: 0° to +90°

Article only available without battery / charger Art. No. 43.011.90

					4.0 Ah			
>>> 2)	37 pcs	50 pcs	63 pcs	75 pcs	100 pcs	130 pcs	150 pcs	200 pcs

- 1) Battery capacity
- ²⁾ Ceramic tile 7 mm / length 150 mm max. cutting range per battery charge

- Excellent diamond cutting disc for perfect cuts
- Very powerful engine
- Integrated water tank





CORDLESS MULTIFUNCTIONAL TOOLS 18 V

VARRITO

Oscillating speed: 22000 - 40000 min⁻¹

Oscillation angle: 3.2°

Abrasive paper size: 93 x 93 x 93 mm

■ Incl.: 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.60

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
>>> 3)	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
>>> 4)	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

Quick-release fastener Magnetic tool mounting Electronic speed control

TC-MG 18 Li

Oscillating speed: 22000 - 40000 min⁻¹

Oscillation angle: 3.2°

Abrasive paper size: 93 x 93 x 93 mm

■ Incl.: 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.70

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>>> 2)	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
>>>> 3)	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
>>> 4)	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

Max. operating time per battery charge in idle mode
 Round plastics 10 mm – max. number of cuts per battery charge
 Round steel 6 mm – max. number of cuts per battery charge

[■] Magnetic tool mounting Electronic speed control **■** Ergonomic, handy design

¹⁾ Battery capacity



CORDLESS ROTATING SANDER 18 V

TE-RS 18 Li

- Oscillating speed: 14000 22000 min⁻¹
- Oscillating circuit ø: 2.0 mm
- Abrasive paper ø: 125 mm
- Incl.: Abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.620.10

					4.0 Ah			
>>> 2)	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min

- Electronic speed control
- Hook and loop fastening
- Dust extraction



CORDLESS ORBITAL SANDERS 18 V

TE-OS 18/230 Li

- Oscillating speed: 14000 22000 min⁻¹
- Oscillating circuit ø: 2.5 mm
- Abrasive paper: 230 x 115 mm
- Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.607.20

		2.0 Ah						
>>> 2)	20 min	27 min	33 min	40 min	54 min	70 min	80 min	108 min



- Electronic speed control
- Hook and loop fastening
- Aluminium sole plate
- Dust extraction

Battery capacity
 Max. operating time per battery charge in idle mode



CORDLESS ORBITAL SANDERS 18 V

TC-OS 18/187 Li

Oscillating speed: 24000 min⁻¹

Oscillating circuit ø: 2.0 mm

Abrasive paper: 187 x 94 mm

Incl.: Abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.607.25

								6.0 Ah	
\	2)	25 min	34 min	42 min	50 min	67 min	87 min	100 min	134 min



TE-OS 18/150 Li

- Oscillating speed: 24000 min⁻¹
- Oscillating circuit ø: 1.6 mm
- Abrasive paper: 150 x 150 x 100 mm
- Incl.: Abrasive papers (6 pcs)

Article only available without battery / charger / case

Art. No. 44.607.08

		2.0 Ah						
>>> 2)	23 min	27 min	34 min	40 min	55 min	70 min	80 min	110 min

- Small, compact and handy
- Hook and loop fastening
- Dust extraction



76

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode





CORDLESS BELT FILE 18 V

TE-BF 18 Li

- Grinding/sanding belt speed: 250 1700 m/min
- Breite Schleifarm: 9 / 13 mm
- Schleifbandlänge: 457 mm
- Incl.: 12 pcs sanding belts

Article only available without battery / charger / case

Art. No. 44.610.00

								8.0 Ah
>>> 2)	11 min	15 min	18 min	22 min	30 min	39 min	45 min	60 min



CORDLESS GRINDING AND ENGRAVING **TOOL 18 V**

TE-MT 18/34 Li

- Speed: 5000 34000 min⁻¹
- Clamping sleeves ø: 1.6 / 2.4 / 3.2 mm
- Length of flexible shaft: 92 cm
- Incl.: 57-piece accessory set and carrying strap

Article only available without battery / charger / case

Art. No. 44.193.60

				3.0 Ah				
>>> 2)	30 min	40 min	49 min	59 min	79 min	102 min	118 min	157 min

- Electronic speed control
- Spindle lock
- Accessory holder in the housing
- Wall bracket



Battery capacity
 Max. operating time per battery charge in idle mode



CORDLESS CAR POLISHING MACHINE 18 V

CE-CB 18/254 Li

Idle speed: 2500 min-1 Diameter: 254 mm

Article only available without battery / charger / case

Art. No. 20.933.01

								8.0 Ah
>>> 2)	56 min	81 min	93 min	112 min	127 min	200 min	222 min	254 min

For best performance select a battery with at least 2.5 Ah

- Handy and robust
- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet



CORDLESS POLISHING/SANDING MACHINE 18 V

CE-CP 18/180 Li E Brushless

- Idle speed: 500 3000 min-1
- Diameter: 180 mm

Article only available without battery / charger / case

Art. No. 20.933.20

						5.2 Ah		
>>> 2)	17 min	20 min	25 min	35 min	43 min	54 min	65 min	86 min

For best performance select a battery with at least 2.5 Ah



78

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode





CORDLESS BLOWER 18 V

TE-CB 18/180 Li

- Blow velocity (step 1 / 2): 130 km/h / 180 km/h
- Idle speed (step 1 / 2): 11500 min⁻¹ / 15500 min⁻¹
- Incl.: 3 inflation nozzles

Article only available without battery / charger / case

Art. No. 34.080.01

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
		39 min						
>>> 3)	18 min	24 min	26 min	36 min	48 min	56 min	65 min	96 min

- Battery capacity
 Performance at setting 1 per battery charge in idle mode
 Performance at setting 2 per battery charge in idle mode



- 2-step speed adjustment
- Lightweight
- Small and handy

CORDLESS SEALING GUN 18 V

TE-SG 18/10 Li

- Feed speed: 0 10 mm/s
- Dispensing force: 2000 N

Article only available without battery / charger / case

Art. No. 45,222,50

						5.2 Ah		
>>> 2)	128 pcs	170 pcs	213 pcs	255 pcs	340 pcs	442 pcs	510 pcs	680 pcs

- 1) Battery capacity
- 2) Number of cartridges per battery charge





CORDLESS PAINT SPRAY SYSTEMS 18 V

TE-SY 18/90 Li

Delivery rate: 1000 ml/min ■ Tank volume: 1200 ml Max. viscosity: 90 DIN-sec

Incl.: 3 nozzles for different viscosities

■ Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.40

		2.0 Ah						
>>> 2)	24 m²	31 m²	39 m²	50 m ²	62 m²	81 m ²	93 m²	124 m²



- Semi-stationary system for medium to large work areas
- Spraying of lacquers and glazes
- Removable spray cap
- Air flow adjustment
- Paint flow regulation
- Adjustable air cap

TC-SY 18/60 Li

- Delivery rate: 650 ml/min
- Tank volume: 800 ml
- Max. viscosity: 60 DIN-sec
- Incl.: 2 nozzles for different viscosities
- Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.25

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	22 m²	30 m²	38 m²	45 m²	60 m ²	78 m²	90 m²	120 m²

- Hand-held system for small and medium-sized working areas
- Spraying of lacquers and glazes
- Removable spray cap
- Paint flow regulation
- Adjustable air cap



¹⁾ Battery capacity

²⁾ Max. area coverage per battery charge with viscosity 60 DIN-sec with single paint application



CORDLESS RADIO 18 V

TC-RA 18 Li BT

- AM Frequency: 522 1620 kHz
- FM Frequency: 87.5 108 MHz
- Station memory (AM / FM): 10 / 10

Article only available without battery / charger / case

Art. No. 34.080.17

		2.0 Ah						
>>> 2)	12 h	16 h	20.5 h	24.5 h	32.5 h	42.5 h	49 h	65 h



- **■** LCD display
- **■** External antenna
- Bluetooth connection for wireless music listening



CORDLESS SPEAKER 18 V

TC-SR 18 Li BT

- Power rating: 2x 3 W
- Max. volume: 85 dB
- Product weight: 0.3 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 45.141.50

		2.0 Ah						
>>> 2)	43 h	57 h	72 h	86 h	114 h	148 h	171 h	228 h



Bluetooth

- Bluetooth connection for wireless music listening
- USB connection for charging mobile phones etc.
- AUX connection

Battery capacity
 Max. operating time per battery charge



CORDLESS LIGHTS 18 V



- 2-step luminosity adjustment
- Hybrid function for use from a 12 V cigarette lighter socket or with a rechargeable battery
- 7 bright LEDs
- ¼" tripod thread



TE-CL 18/2500 LiAC

- Luminosity: 1000 lm / 2500 lm
 Light range: 640 m
 Colour temperature: 6500 K

Article only available without battery / charger / case

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	69 min	85 min	107 min	137 min	183 min	238 min	274 min	366 min
>>> 3)	229 min	291 min	341 min	458 min	611 min	794 min	916 min	1222 min

- Battery capacity
 Luminous period per battery charge 2500 lm
 Luminous period per battery charge 1000 lm



CORDLESS LIGHTS 18 V

TE-CL 18/2000 LiAC

Mains connection: 100-240 V ~ 50-60 Hz

Cable length: 2 m

Luminosity: 1000 lm / 1500 lm / 2000 lm

■ Light source: 20 LEDs

Article only available without battery / charger / case

Art. No. 45.141.14

		2.0 Ah						
>>> 2)	87 min	115 min	145 min	174 min	230 min	300 min	345 min	460 min





- Hybrid function for use with a rechargeable battery or a power cable (230 V)
- 3-step luminosity adjustment
- 360° swivelling lamp head

TC-CL 18/1800 Li

Luminosity: 1800 lm

■ Light source: 1 LED

Article only available without battery / charger / case

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	95 min	118 min	140 min	191 min	243 min	300 min	350 min	468 min

- 360° swivelling lamp head
- Infinitely variable luminosity
- **■** Folding foot



Battery capacity
 Luminous period per battery charge



CORDLESS LIGHTS 18 V

TC-CL 18/350 Li

Luminosity: 350 lm

Light range: 30 m

Product weight: 0.48 kg

■ Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.75

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>>> 2)	6 h	7.5 h	9.5 h	11 h	15 h	19.5 h	23 h	30 h

- **■** High-intensity LED
- Pivoting light head (from -5° to 110°)
- **■** Fastening eyelet
- Slim, lightweight design



TC-CL 18 Li H

Luminosity: 280 lm

■ Light source: 1 LED

Article only available without battery / charger / case

		2.0 Ah						
>>> 2)	8 h	10 h	12 h	16 h	22 h	32 h	33 h	44 h



- High-quality LED of the company Cree Ltd.
- Swivelling lamp head
- Metal hook

Battery capacityLuminous period per battery charge







CORDLESS STAPLER/NAILER 18 V

TE-CN 18 Li

Max. working speed: 20 min⁻¹

■ Staple length: 16 - 22 mm

Nail length: 15 - 32 mm

Incl. 300 nails + 300 staples; article only available without battery / Art. No. 42.577.90 charger / case

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	1472 pcs	2030 pcs	2670 pcs	3204 pcs	4272 pcs	5554 pcs	6408 pcs	8544 pcs
>>> 3)	1459 pcs	1995 pcs	2642 pcs	3171 pcs	4228 pcs	5496 pcs	6342 pcs	8456 pcs

- 1) Battery capacity
- 32 mm nails in soft wood at maximum depth setting max. number per battery charge
 Number of staples (22 mm) in soft wood at maximum depth setting max. number per battery charge

- 2-in-1 stapler and nailer combination tool
- Cutting depth adjustment
- Magazine with level indicator
- Allows stapling close to the edge



CORDLESS HOT GLUE GUN 18 V

TE-CG 18 Li

- Warm-up period: 120 s
- Max. glueing temperature: 170°C
- Glue stick length / diameter: 200 mm / 11 mm
- Incl.: 5 glue sticks and flat glueing nozzle

Article only available without battery / charger / case

Art. No. 45,222,00

		2.0 Ah						
>>> 2)	14 pcs	18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs	72 pcs

- Battery capacity
- 2) Glue sticks 11 mm, length 200 mm max. number per battery charge



- LED heat level indicator
- Disengageable LED light
- Changeable glueing nozzle



CORDLESS HOT AIR GUN 18 V

TE-HA 18 Li

- Temperature setting 1 / setting 2: 350 °C / 550 °C
- Air rate: 200 l/min

Incl. reducer nozzle, wide nozzle, reflector nozzle but no battery / Art. No. 45.205.00 charger / case

		2.0 Ah						
>>> 2)	7 min	9 min	11 min	13 min	17 min	22 min	26 min	34 min

- 1) Battery capacity
 2) Max. operating time per battery charge setting 2

- 2 temperature settings with LED display
- Mechanical nozzle ejector
- Overheating protection for safe operation



USB BATTERY ADAPTER 18 V

TC-CP 18 Li USB

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger / case

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	8 h	12 h	13.5 h	16 h	24 h	32 h	36 h	48 h

- Battery capacity Charging time per battery charge



- 2 USB ports
- Charging of mobile devices (cell phone, tablet etc.)
- LED operating status indicator



ACCESSORIES - CASES

E-Box L70

- Items supplied: 1 universal case
- Internal dimensions: 670 x 190 x 300 mm
- External dimensions: 700 x 250 x 350 mm
- Load capacity: 50 kg

Art. No. 45.300.54



E-Box M55

- Items supplied: 1 universal case
- Internal dimensions: 510 x 327 x 124 mm
- External dimensions: 550 x 400 x 150 mm
- Load capacity: 30 kg

Art. No. 45.300.49

E-Box S35

- Items supplied: 1 universal case
- Internal dimensions: 310 x 250 x 89.5 mm
- External dimensions: 350 x 330 x 110 mm
- Load capacity: 12 kg

Art. No. 45.300.45



Einhell

ACCESSORIES - BAGS

Einhell Bag 56/29

- Items supplied: 1 universal bag
- Internal dimensions: 520 x 290 x 250 mm
- External dimensions: 560 x 290 x 300
- Load capacity: 25 kg

Art. No. 45.300.78



Einhell Bag 45/29

- Items supplied: 1 universal bag
- Internal dimensions: 420 x 270 x 200 mm
- External dimensions: 450 x 290 x 220 mm
- Load capacity: 20 kg

Art. No. 45,300,74



Einhell Bag 45/22

- Items supplied: 1 universal bag
- Internal dimensions: 390 x 200 x 190 mm
- External dimensions: 450 x 220 x 350 mm
- Load capacity: 15 kg

Art. No. 45.300.37





E-CASE-SYSTEM SYSTEM CASES E-CASE

- Accessories available to create individual arrangements
- 2x fold-in ergonomic handles for comfortable carrying



E-Case S-F

- Items supplied: 1x E-Case S + 2x foam inlays
- Internal dimensions: 421 x 281 x 96 mm
- External dimensions: 444 x 330 x 131 mm

Art. No. 45.400.11

- Large 15 cm all-terrain rubberized wheels
- **■** Telescopic handle for easy transport
- For storing and transporting large tools



E-Case L

- Items supplied: 1x E-Case L + 1x tray for hand tools + 2x spacer clips
- Internal dimensions: 421 x 273 x 320 mm
- External dimensions: 444 x 406 x 355 mm

Art. No. 45,400,14

- Inner height of 25 cm is optimised for bulky einhell products
- Foldable, ergonomic handle for comfortable carrying



E-Case M

- Items supplied: 1x E-Case M + 1x hand tool insert
- Internal dimensions: 415 x 280 x 250 mm
- External dimensions: 444 x 330 x 295 mm.

Art. No. 45,400,21

Complete modular storage solution for the ambitious handyman



E-Case Tower

Items supplied:

1x E-Case S + 2x foam inlays,

1x E-Case S + 1x set of plastic compartments (2x long, 3x midlength, 4x short dividers),

1x E-Case L + 1x tray for hand tools + 2x spacer clips

Art. No. 45.400.15

UNMATCHED FOR RUGGEDNESS!



Maximum loading of a single case when carried by the handle on the side



Maximum permissible loading of the case at the bottom of the stack



Maximum loading of several cases when carried by the handle on the top



Max. total load E-Case L + stacked cases

STACKABLE AND CONNECTABLE





E-CASE-SYSTEM **E-CASES ACCESSORIES S**

Set of Plastic Compartments


Set comprising: 2x long, 3x mid-length, 4x short dividers





Art. No. 45,400.13







CORDLESS WET AND DRY VACUUM CLEANERS 36 V

TE-VC 36/30 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 30 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.40

		2.0 Ah						
		11 min						
>>> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

TE-VC 36/25 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 25 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.70

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
>>> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

- Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode (ECO mode)
 Max. operating time per battery charge in idle mode (BOOST mode)



CORDLESS WET AND DRY VACUUM CLEANERS 18 V

- Stainless steel tank, rustproof and sturdy
- Blow connector
- Incl. extensive accessories







- Suction power: 80 mbar
- Tank: Stainless steel, 20 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
 Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.30

		2.0 Ah						
>>> 2)	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode







CORDLESS WET AND DRY VACUUM CLEANERS 18 V

TC-VC 18/15 Li

- Suction power: 80 mbar
- Tank: Plastic, 15 l
- Nozzles: Crevice, combination nozzle (1x each)
- Accessories: Foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23,471,45

		2.0 Ah						
>>> 2)	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- Plastic tank light-weight but impact-proof
- Blow connector
- Incl. extensive accessories





TE-VC 18/10 Li

- Suction power: 90 mbar
- Tank: Plastic, 10 l
- Nozzles: 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
- Accessories: Foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.60

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>>> 2)	8 min	10 min	12 min	17 min	21 min	26 min	30 min	42 min

For best performance select a battery with at least 2.5 Ah



- Extendable hose
- Lightweight and mobile
- Compact design



- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



CORDLESS HANDHELD VACUUM CLEANERS 18 V

TE-HV 18/06 Li

- Suction power: 72 mbar / 50 mbar (BOOST / ECO)
- Tank: Plastic, 0.60 l
- Nozzles: Crevice, upholstery, floor nozzle (1x each)
- Accessories: Wall bracket, extension tubes, synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.90

(1111) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
		22 min						
>>> 3)	9 min	12 min	15 min	19 min	25 min	32 min	39 min	50 min

- Battery capacity
- Max. operating time per battery charge in idle mode (ECO mode)
 Max. operating time per battery charge in idle mode (BOOST mode)

- 2 speeds
- Incl. extensive accessories
- Wall bracket





TE-VC 18 Li

- Suction power: 42 mbar
- Tank: Plastic, 0.54 l
- Nozzles: Crevice, upholstery, floor nozzle (1x each)
- Accessories: Wall bracket, extension tube, washable synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.20

		2.0 Ah						
>>> 2)	12 min	16 min	18 min	23 min	31 min	40 min	46 min	62 min


- Battery capacity
- 2) Max. operating time per battery charge in idle mode



- **■** Easy cleaning
- Incl. extensive accessories
- Wall bracket







CORDLESS STICK VAC CLEANER 18 V

TE-SV 18 Li

- Tank volume: 0.6 l
- Speed settings: 2 (ECO/BOOST)
- Cyclone separator: changeable and washable

Article only available without battery / charger Art. No. 23.471.80

(IIII) ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	8 min	11 min	13 min	18 min	22 min	28 min	35 min	44 min
>>> 3)	19 min	25 min	31 min	38 min	50 min	65 min	80 min	100 min

- 1) Battery capacity
- Max. operating time per battery charge in idle mode (BOOST mode)
 Max. operating time per battery charge in idle mode (ECO mode)

EXTENSIVE ACCESSORIES

- Wall Bracket for storing the device and the accessories
- Flexible Crevice Nozzle for vacuuming hard-toreach-areas in the car
- 2-in-1 nozzle for slits on the sofa

- 2-in-1 device: hand-held vacuum cleaner + upright vacuum cleaner
- No dirt bag: empty the dust collection container at the push of a button
- Well illuminated work area thanks to 4 spotlight LEDs

ALSO AVAILABLE: ACCESSORY SET (23.512.67)

- **Hose and Universal Nozzle** for user-friendly cleaning in the livingroom / car / etc.
- **Upholstery Nozzle** for cushions











CORDLESS ASH VACUUM CLEANER 18 V

TE-AV 18/15 Li C

- Suction power: 100 mbar
- Tank: Stainless steel, 15 l
- Accessories: Crevice nozzle, pleated filter (1x each)

Article only available without battery / charger Art. No. 23.517.00

		2.0 Ah						
>>>> 2)	11 min	15 min	18 min	22 min	30 min	37 min	44 min	60 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



- Filter cleaning system
- Lightweight and mobile
- Metal-reinforced suction hose with a length of 1.20 m



CORDLESS PUSH SWEEPER 18 V

TE-SW 18/610 Li

- Max. sweeping capacity: 1800 m²/h
- Working width: 610 mm
- Dirt tank: 20 l

Article only available without battery / charger Art. No. 23.520.40

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	650 m ²	850 m²	1050 m ²	1300 m ²	1700 m ²	2200 m ²	2550 m ²	3400 m ²
>>> 3)	21 min	27 min	34 min	41 min	55 min	72 min	83 min	110 min

- Battery capacity
- 2) Area coverage at walking speed (3.0 km/h)
- 3) Max. operating time per battery charge in idle mode



CORDLESS DRAIN CLEANER 18 V



- Easy retraction/extension of spiral with battery-powered motor
- Right/left rotation for release when the spiral is blocked
- Galvanised spiral

TE-DA 18/760 Li

- Spiral length / diameter: 7.6 m / 7 mm
 Pipe diameter: 16 55 mm
 Speed: 560 min⁻¹

Article only available without battery / charger Art. No. 45.141.60

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	42 min	56 min	68 min	84 min	112 min	143 min	188 min	224 min



¹⁾ Battery capacity
2) Max. operating time per battery charge in idle mode



CORDLESS PRESSURE CLEANER 18 V



HYPRESSO 18/24 Li

- Max. working pressure / ECO mode: 24 bar / 14 bar
- Suction hose length: 5 m
 Suction height: 3 m
- Incl.: Suction hose with water filter, 2 extension lances, foam spray bottle, 4-in-1 nozzle, splash water protection, accessory bag

Article only available without battery / charger Art. No. 41.401.30

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	10 min	13 min	15 min	20 min	27 min	35 min	45 min	55 min
>>> 3)	6 min	7 min	8 min	11 min	15 min	18 min	23 min	30 min

- Battery capacity
 Max. operating time per battery charge in idle mode (ECO mode)
 Max. operating time per battery charge in idle mode (BOOST mode)



CORDLESS WINDOW CLEANER 18 V

BRILLIANTO

Nozzle width: 280 mm

Dirt water tank: 100 ml

Article only available without battery / charger Art. No. 34.371.00

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	120 min	160 min	200 min	240 min	320 min	415 min	480 min	640 min

ALSO AVAILABLE: ACCESSOR

- Telescopic Pole Set (34.371.01) 2 telescopic poles (1 complete with microfiber cloth for precleaning the glass surface, and 1 complete with tilt adjustment for BRILLIANTO) - both poles infinitely adjustable in length up to approx. 120 cm
- Nozzle Set (34.371.02) 1x slim suction nozzle (165 mm) and 1x wide suction nozzle (350 mm)



- Removable dirt water tank ■ One-piece pull-off lip made of silicone
- Softgrip aread für optimum grip
- Including wall mount and spray bottle







¹⁾ Battery capacity
2) Max. operating time per battery charge in idle mode







CLEANEXXO

Clean water tank: 400 ml ■ Dirt water tank: 300 ml ■ Working width: 290 mm

Speed settings: 2

Article only available without battery / charger Art. No. 34.371.10

			2.5 Ah					
>>> 2)	65 min	85 min	107 min	130 min	170 min	225 min	260 min	345 min

Battery capacity



Self cleaning with cleaning/parking station Press the boost switch for three seconds. Brush rotates for 25 seconds in boost mode with increased water supply

Adjustable water supply Optimum control of water flow via trigger on handle

²⁾ Max. operating time per battery charge in idle mode

CORDLESS COFFEE MACHINE 18 V

- 2-in-1: filter coffee machine and coffee pad machine
- **■** Ergonomic carrying handle
- Incl. coffee cup with lid, dosing spoon, coffee powder container with 1 filter, container for coffee pads





TE-CF 18 Li

- Water tank: 240 ml
- Coffee temperature: 80°

Article only available without battery / charger Art. No. 46.099.90

>>> 2 cups 1 cup 1 cup 2 cups 2 cups 3 cups 4 cups 5 cups						4.0 Ah			
	>>> 2)	1 cup	1 cup	1 cup	2 cups	2 cups	3 cups	4 cups	5 cups

- Battery capacity
 Max. number of coffee cups (240 ml) per battery charge





6-IN-1 CORDLESS HYBRID COMPRESSORS 18 V

PRESSITO 18/25 Hybrid

- Mains connection: 220-240 V ~ 50/60 Hz
- Max. output rate at 0 | 4 | 7 bar: 19 | 12 | 10 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (160 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.30

		2.0 Ah						
>>> 2)	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- Hybrid function for use with a power cable or a rechargeable battery
- Manual inflating function (high-pressure)
- High-pressure pumping, low-pressure pumping/suction
- Integrated emergency light for illuminating the place of use







PRESSITO

- Mains connection: 220-240 V ~ 50 Hz
- Max. output rate at 0 | 4 | 7 bar: 16 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (31 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.60

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min





- Hybrid function for use with a power cable or a rechargeable batterv
- High-pressure pumping, low-pressure pumping/suction
- Incl. extensive accessories

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



3-IN-1 CORDLESS COMPRESSORS 18 V

PRESSITO 18/25

- Suction power: 25 l/min
- Max. output rate at 0 | 4 | 7 bar: 17 | 11 | 9 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (160 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.20

	1.5 Ah							
>>> 2)	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- High-pressure pumping, low-pressure pumping/suction
- Manual inflating function (high-pressure)
- Two-line pressure display for set and actual pressure
- Incl. extensive accessories







PRESSITO 18/21

- Suction power: 21 l/min
- Max. output rate at 0 | 4 | 7 bar: 14 | 9 | 6 l/min
- Max. operating pressure: 10.5 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (31 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.67

L			2.0 Ah						
	>>> 2)	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min



- High-pressure pumping, low-pressure pumping/suction
- Manual inflating function (high-pressure)
- Incl. extensive accessories



Battery capacity
 Max. operating time per battery charge in idle mode



CORDLESS COMPRESSOR 36 V

TE-AC 36/150 Li OF

- Suction power: 150 l/min
- Max. output rate at 0 | 4 | 7 bar: 95 | 70 | 50 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar

Article only available without batteries / chargers Art. No. 40.204.15

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	-	-	26 pcs	36 pcs	45 pcs	54 pcs	72 pcs	90 pcs
>>> 3)	-	-	410 pcs	600 pcs	720 pcs	850 pcs	1200 pcs	1440 pcs

- Battery capacity (2x batteries required)
 Tank pressure build-up cycles per battery charge
 Soft wood max. number of staples (13 mm staples) per battery charge

- Mobile compressor with compressed air tank
- Twin-Pack Technology
- Storage compartment for optional accessories

TWIN-PACK 18V] + 18V] 36 V TECHNOLOGY



CORDLESS PORTABLE COMPRESSOR 18 V

TE-AC 36/8 Li OF Set


- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Max. operating pressure: 8 bar
- Incl.: Compressed air hose, blow-out adapter, tyre pressure gauge and several adapters

Article only available without batteries / chargers Art. No. 40.204.40

							6.0 Ah	
>>> 2)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min
>>> 3)	4.5 min	6 min	7.5 min	9 min	12 min	15 min	18 min	24 min

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time when using a blow-out pistol
- 3) Max. operating time when inflating a car tire to 2.5 bar





- Twin-Pack Technology
- Incl. extensive accessories









CORDLESS CAR COMPRESSOR

CE-CC 18 Li

- Max. output rate at 0 | 4 | 7 bar: 12 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: 60 cm compressed air hose and several adapters

Article only available without battery / charger Art. No. 20.710.10

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
333 2)	32 min	42 min	53 min	63 min	84 min	109 min	126 min	168 min



- Ideal for inflating car tyres, cycle tyres and balls
- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function

CORDLESS AIR PUMP

CE-AP 18 Li

- Max. delivery rate: 670 l/min
- Max. operating pressure: 0.5 bar
- Incl.: 2 inflation adapters

Article only available without battery / charger Art. No. 20.701.10

ĺ	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	>>> 2)	49 min	65 min	81 min	98 min	130 min	169 min	195 min	260 min

- Ideal for inflating rubber dinghies, air mattresses, leisure articles
- Suitable for deflation by simply replacing the adapter
- Can be used as a workshed blower for cleaning the worktop






Battery capacity
 Max. operating time per battery charge in idle mode



ROBOT LAWN MOWERS





FREELEXO CAM

- For lawn areas of: up to approx. 500 m²
- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 25 %
- Included in delivery: Charging station, magnetic tape (5 m)

Incl. 1 battery (18 V | 3.0 Ah | Li-ion)

Art. No. 34.139.91



- Brushless motor more power, prolonged operation
- True cordless freedom no perimeter wire required
- Recognises the mowing area by means of physical and visual lawn boundaries
- Including magnetic tape accessory for short-term demarcation of lawn areas
- Intuitive kevpad
- Programmable operating times





TRUE CORDLESS FREEDOM

No perimeter wire required



RAIN SENSOR

for lawn-friendly operation



SEPARATE AREAS OF THE GARDEN

Mowing mode for areas of lawn separate from the main garden



INTUITIVE KEYPAD

Easy to operate thanks to the mowing time programmer for lawn care every day or every two days



CHECKLIST: IS MY GARDEN SUITABLE?



Lawn area of uniformly green colour



Irregularities in colour (e.g. leaves, scorched areas)



Clearly defined and recognisable lawn edges*



No clearly recognisable lawn edges



Simple design, uniform shape



Many separate areas, bottlenecks and recesses

MADE POSSIBLE BY A VIRTUAL FENCE – THANKS TO MAGNETIC TAPE ACCESSORY

Lay the supplied magnetic tape in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic tape and turn away at its limits. In this way you can create off-limit areas at short notice.




A TEMPORARY OFF-LIMITS AREA

When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.




A NEWLY PLANTED TREE

A tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.



A FLOWER MEADOW IN THE GARTEN

A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.



LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic tape for optimum demarcation of the mowing area in the garden.

^{*} The lawn area needs to be checked for suitable lawn boundaries



ROBOT LAWN MOWERS

FREELEXO BT

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35 %
- Included in delivery: Charging station

Incl. installation accessories (600 m²) and 1 battery (18 V | 2.5 Ah | Li-ion) Art. No. 34.139.46



- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad
- Multi area mowing for complex gardens



FREELEXO LCD BT

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35 %
- Included in delivery: Charging station

Incl. installation accessories (900 m²) and 1 battery (18 V | 3.0 Ah | Li-ion) Art. No. 34.139.55

Incl. installation accessories (1200 m²) and 1 battery (18 V | 5.2 Ah | Art. No. 43.263.68 Li-ion)

- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens





ROBOT LAWN MOWERS





- Brushless motor more power, prolonged operation
- Individual programming/control via APP (Bluetooth*)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens
- Special mowing program: Spot Mowing and Border Area Mode
- Energy-efficient thanks to the Eco Mode

FREELEXO LCD BT+

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35 %
 Included in delivery: Charging station

Incl. installation accessories (500 m²) and 1 battery (18 V | 2.5 Ah | Li-ion) Art. No. 34.139.82



^{*} Thanks to Bluetooth 5.0 with increased range



RASARRO



- **RASARRO 36/42**
- Cutting width: 42 cm
- For lawn areas of: up to approx. 725 m²
 Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|5.2 Ah|Li-lon) and 1 Twincharger

Art. No. 34.132.72

						5.2 Ah		
>>> 2)	250 m ²	300 m²	350 m ²	450 m ²	550 m ²	725 m²	875 m²	1100 m ²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



RASARRO



- Cutting width: 40 cm
- For lawn areas of: up to approx. 500 m²
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 1 Twincharger

Art. No. 34.132.78

	1.5 Ah							
>>> 2)	220 m²	280 m²	330 m²	425 m²	500 m ²	700 m²	850 m²	1000 m ²

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- 2) Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



RASARRO

The RASARROs are characterised by the following main features:

1. Aluminium guide rail

The long handle made of aluminium is both extremely sturdy and light in weight. It ensures accurate guidance, a long working life and absolutely easy handling.

2. Ergonomically shaped handle area

The ergonomically shaped handlebar with softgrip is highly effective in preventing fatigue during lengthy work sessions.



RASARRO





- Brushless motor more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- **■** Telescopic long handle



RASARRO 36/38

PROFESSIONAL

- Cutting width: 38 cm
- For lawn areas of: up to approx. 450 m²
 Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 1 Twincharger

Art. No. 34.131.80

		2.0 Ah						
>>> 2)	250 m ²	300 m²	330 m ²	400 m ²	450 m ²	700 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



TWIN-PACK TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.





RASARRO

RASARRO 36/36

- Cutting width: 36 cm
- For lawn areas of: up to approx. 400 m²
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|3.0 Ah|Li-lon) and 2 chargers

Art. No. 34.132.82

Without batteries / chargers

Art. No. 34.131.72

		2.0 Ah						
>>> 2)	200 m²	250 m²	290 m ²	400 m²	450 m²	650 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah

RASARRO 36/34

- Cutting width: 34 cm
- For lawn areas of: up to approx. 300 m²
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 2 batteries (18 V | 3.0 Ah | Li-lon) and 2 chargers

Art. No. 34.132.22

Without batteries / chargers

Art. No. 34.132.26

				3.0 Ah				
>>> 2)	150 m²	200 m²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m²

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- 2) Max. Jawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)









DOUBLE TWINPAC TECHNOLOGY

Double Twinpack devices have slots for two additional rechargeable batteries. If, for example, two additional batteries are inserted in the GP-CM 36/47 S HW Li lawn mower, such that all four rechargeable battery slots are filled, you can mow double the area without recharging.

Example (GE-CM 36/48 Li M Brushless): Twinpack $2x 18 V = 500 m^2$ **Double Twinpack** 2x 18 V + 2x 18 V = $500 \text{ m}^2 + 500 \text{ m}^2 = 1000 \text{ m}^2$





GE-CM 36/48 Li M Brushless

- Cutting width: 48 cm
- For lawn areas of: up to approx. 1000 m²
 Cutting height adjustment: 6 levels / 30 75 mm / axial

Article only available without batteries / chargers Art. No. 34.130.54

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	150 min	250 m ²	260 m ²	300 m ²	500 m ²	600 m ²	700 m ²	1000 m ²
>>> 3)	300 m ²	500 m ²	520 m ²	600 m ²	1000 m ²	1200 m ²	1400 m ²	2000 m ²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge with 2 batteries
 Max. lawn area that can be mown per battery charge with 4 batteries
 (The stated area coverage is based on the assumption of ideal conditions)





GE-CM 36/43 Li M Brushless

- Cutting width: 43 cm
- For lawn areas of: up to approx. 600 m²
 Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 2 chargers

Art. No. 34.132.40

Without batteries / chargers

Art. No. 34.132.46

	1.5 Ah							
>>> 2)	225 m²	300 m²	350 m ²	450 m ²	600 m ²	750 m ²	900 m²	1200 m ²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



TWIN-PACK TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.





GE-CM 36/36 Li Brushless

- Cutting width: 36 cm
- For lawn areas of: up to approx. 400 m²
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 2 chargers

Art. No. 34.132.30

						5.2 Ah		
>>> 2)	175 m²	250 m²	270 m ²	350 m ²	400 m²	600 m²	700 m²	960 m²

For best performance select batteries with at least 2.5 Ah



GE-CM 36/33 Li

- Cutting width: 33 cm
- For lawn areas of: up to approx. 250 m²
 Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 2 batteries (18 V|2.5 Ah|Li-lon) and 2 chargers

Art. No. 34.132.10

							8.0 Ah
>>> 2) 150	0 m ² 200 m	² 250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²

For best performance select batteries with at least 2.5 Ah



- Individually adjustable long handle
- Integrated carry handle
- Grass box with level indicator



Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



GE-CM 18/33 Li Brushless

- Cutting width: 33 cm
- For lawn areas of: up to approx. 200 m²
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 1 battery (18 V | 4.0 Ah | Li-lon) and 1 charger Art. No. 34.132.60 Art. No. 34.132.66 Without battery / charger

								8.0 Ah
>>> 2)	50 m²	100 m²	140 m²	180 m²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select a battery with at least 2.5 Ah

GE-CM 18/32 Li Brushless

- Cutting width: 32 cm
- For lawn areas of: up to approx. 180 m²
 Cutting height adjustment: 3 levels / 30 70 mm / axial

Article only available without battery / charger Art. No. 34.132.56

	1.5 Ah							
>>> 2)	50 m²	100 m²	140 m²	180 m²	250 m ²	300 m ²	350 m²	500 m ²

For best performance select a battery with at least 2.5 Ah



Battery capacity

² Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



GE-CM 18/30 Li Brushless

- Cutting width: 30 cm
- For lawn areas of: up to approx. 150 m²
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.131.55 Art. No. 34.131.57 Without battery / charger

		2.0 Ah						
>>> 2)	30 m²	70 m²	100 m ²	150 m ²	210 m ²	270 m²	300 m ²	420 m²

For best performance select a battery with at least 2.5 Ah

■ Brushless motor – more power, prolonged operation **■** Folding handlebar Integrated carry handle

CORDLESS PUSH REEL MOWER 18 V

GE-HM 18/38 Li

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 38 mm
- Grass box capacity: 45 I

Article only available without battery / charger Art. No. 34.142.00

		2.0 Ah						
>>> 2)	100 m²	150 m²	190 m²	250 m ²	300 m ²	400 m ²	450 m ²	600 m ²

For best performance select a battery with at least 2.5 Ah

- Contactless cutting technology
- Adjustable rear deflector
- 2-in-1 function: battery + manual





Battery capacity
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)



GC-PM 51/3 S HW-E Li

- Engine / displacement / power: 4-Takt / 170 cm³ / 2.7 kW
- Cutting width: 51 cm
- For lawn areas of: up to approx. 1800 m²
 Cutting height adjustment: 6 levels / 30 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger (3 A)

Art. No. 34.048.70

(IIII) ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	130	174	218	261	347	452	522	695
	starts							

- Battery capacity
- Number of starts per battery charge (The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.)







GC-PM 46 SM HW-E Li

- Engine / displacement / power: 4-Takt / 146 cm³ / 2.0 kW
- Cutting width: 46 cm
- For lawn areas of: up to approx. 1400 m²
- Cutting height adjustment: 9 levels / 25 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger (3 A)

Art. No. 34.075.60

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	145	193	242	290	386	502	580	772
	starts							

- Battery capacity
- Number of starts per battery charge (The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.)



POWER X-CHANGE ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system - at just the push of a button.

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products





CORDLESS SCARIFIERS/AERATORS 36 V

GE-SC 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of: up to approx. 550 m²
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs

Article only available without batteries / chargers Art. No. 34.206.80

() ()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	100 m ²	150 m²	190 m²	225 m²	300 m ²	400 m ²	450 m ²	550 m ²







- Brushless motor more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Toolless roller change
- Easy maintenance housing

GE-SA 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of: up to approx. 550 m²
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs
- Number of aerator roller claws: 24 pcs
- Grass box capacity: 28 litres

Article only available without batteries / chargers Art. No. 34.206.85

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	100 m ²	150 m²	190 m²	225 m ²	300 m ²	400 m ²	450 m ²	550 m²

TWIN-PACK

18V)+ 18V) 36 V

TECHNOLOGY



- Brushless motor more power, prolonged operation
- 3-in-1 combination tool: Scarifying, aeration and grass collection
- Toolless roller change
- Easy maintenance housing



¹⁾ Battery capacity (2x batteries required)

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)



CORDLESS SCARIFIERS/AERATORS 36 V

GC-SC 36/31 Li

- Working width: 31 cm
- For lawn areas of: up to approx. 350 m²
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 8 double-knives

Article only available without batteries / chargers Art. No. 34.206.60

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	80 m²	100 m²	130 m²	200 m ²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
 Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

CORDLESS SCARIFIERS/AERATORS 18 V

GC-SC 18/28 Li Brushless

- Working width: 28 cm
- For lawn areas of: up to approx. 200 m²
- Working depth adjustment: 3 levels (-2 / -4 / -6) mm) + transport position (+2 mm)
- Number of scarifying blades: 12 rotating blades

Article only available without battery / charger Art. No. 34.206.04

		2.0 Ah						
>>> 2)	60 m²	80 m²	100 m ²	120 m²	160 m²	210 m ²	240 m ²	350 m ²

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)





CORDLESS TILLER 36 V

GE-CR 30 Li

Working width: 30 cm ■ Working depth: 20 cm

Number of blades: 4 pcs

Article only available without batteries / chargers Art. No. 34.312.00

	1.5 Ah							
>>> 2)	15 min	20 min	21 min	25 min	35 min	50 min	60 min	70 min

For best performance select batteries with at least 2.5 Ah

Battery capacity (2x batteries required)
 Max. operating time per battery charge (The stated performance is based on the assumption of ideal conditions)

CORDLESS TILLER 18 V

GE-CR 18/20 Li E

Working width: 20 cm

■ Working depth: 20 cm

Number of blades: 4 pcs

Article only available without battery / charger Art. No. 34.312.10

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	20-25	20-35	30-40	40-50	50-70	70-90	80-100	100-140
	min							

1) Battery capacity

Date() subsets
 Max. operating time per battery charge
 (The stated performance is based on the assumption of ideal conditions)





CORDLESS SPREADER 18 V



- Capacity: 22 l
 Spread width: max. 6 m
 Suitable for: Fertiliser, grass seed, spreading material

Article only available without battery / charger Art. No. 34.154.30

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	3 h	4 h	5 h	7 h	8 h	10 h	11 h	15 h

¹⁾ Battery capacity 2) Max. operating time per battery charge

CORDLESS UNIVERSAL SPREADER 18 V

- Electronic speed control (6 settings)
- Flow rate adjustment (8-stage)
- Adjustable spread width



GE-US 18 Li

- Capacity: 3.3 l
- Spread width: max. 5 m
 Suitable for: Fertiliser, grass seed, spreading material

Article only available without battery / charger Art. No. 34.154.10

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	2 h	3 h	4 h	6 h	7 h	9 h	10 h	14 h

- 1) Battery capacity 2) Max. operating time per battery charge







GE-ST 36/40 Li E Brushless

- Working width: 40 cm
- Max. snow height: 20 cm
 Throwing distance max.: 6 m

Article only available without batteries / chargers Art. No. 34.170.11

						5.2 Ah		
>>> 2)	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

For best performance select batteries with at least 4.0 Ah

Batter, capacity (2x batteries required)
 Max. operating time per battery charge (The stated performance is based on the assumption of ideal conditions)



CORDLESS SCYTHE 36 V

AGILLO 36/255

Cutting width blade / thread: 25.5 cm / 30 cm

■ Thread diameter: 2.0 mm

■ Thread length: 8 m

Incl.: Line spool and 3-teeth blade

Article only available without batteries / chargers Art. No. 34.113.20

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	20 min	30 min	35 min	45 min	65 min	80 min	90 min	130 min
>>> 3)	15 min	25 min	28 min	35 min	45 min	60 min	70 min	90 min

For best performance select batteries with at least 2.5 Ah

CORDLESS SCYTHE 18 V

AGILLO 18/200

- Cutting width blade / thread: 20 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: Line spool and 3-teeth blade

Article only available without battery / charger Art. No. 34.113.10

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	15 min	20 min	25 min	35 min	50 min	65 min	75 min	100 min
>>> 3)	10 min	12 min	15 min	20 min	30 min	45 min	55 min	60 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (blade)
 Max. operating time per battery charge in idle mode (thread spool)





CORDLESS LAWN TRIMMER 36 V



Cutting width: 30 cm
Thread diameter: 2.0 mm
Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.00

								8.0 Ah
>>> 2)	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode



CORDLESS LAWN TRIMMERS 18 V

GE-CT 18/33 Li

Cutting width: 33 cm

■ Thread diameter: 2.0 mm

■ Thread length: 8 m

Article only available without battery / charger Art. No. 34.112.70

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

* Tested and recommended by Forum: Gesunder Rücken - besser leben e.V. and Bundesverband deutscher Rückenschulen (BdR) e.V.

More information available from: AGR e.V., Stader Str. 6, 27432 Bremervörde, Tel. +49 4761/92 63 580, www.agr ev.de

GE-CT 18/30 Li

- Cutting width: 30 cmThread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.50

		2.0 Ah						
>>> 2)	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



CORDLESS LAWN TRIMMERS 18 V

GE-CT 18/28 Li TC

Cutting width: 28 cmThread diameter: 1.6 mm

■ Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.12

		2.0 Ah						
>>> 2)	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

■ Incl. trimmer cart ("City" Lawn Mower)

■ Motor head rotatable and tiltable

Automatic feeding line spool

GE-CT 18/28 Li

Cutting width: 28 cm

■ Thread diameter: 1.6 mm

■ Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.42

		2.0 Ah						
>>> 2)	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

- Telescopic long handle
- Motor head rotatable and tiltable
- Automatic feeding line spool

Battery capacity
 Max. operating time per battery charge in idle mode



CORDLESS LAWN TRIMMERS 18 V

GE-CT 18 Li

Cutting width: 24 cm

Incl.: Box with 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.111.97 Without battery / charger Art. No. 34.111.72

		2.0 Ah						
>>> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

GC-CT 18/24 Li

Cutting width: 24 cm

Incl.: 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.111.25 Without battery / charger Art. No. 34.111.23

		2.0 Ah						
>>> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

GC-CT 18/24 Li P

Cutting width: 24 cm

Incl.: 20 plastic blades

Incl. 1 battery (18 V | 1.5 Ah | Li-lon) and 1 charger Art. No. 34.111.02 Without battery / charger Art. No. 34.111.04

		2.0 Ah						
>>> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

- Battery capacity
 Max. operating time per battery charge in idle mode







GE-LE 18/190 Li

- Min. cutting depth: 36.5 mm
- Max. cutting depth: 45 mm
 Blade length: 190 mm
- Cutting depth settings: 36.5 / 40 / 45 mm

Article only available without battery / charger Art. No. 34.243.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	20 min	25 min	33 min	45 min	55 min	65 min	75 min	110 min

Battery capacity
 Max. operating time per battery charge in idle mode



GC-CC 18 Li

Charging time / operating time: 40 / 45 min
Diameter of brush: 10 cm

Incl.: 1 steel brush (15 mm) and 1 nylon brush (10 mm)

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.240.51 Without battery / charger Art. No. 34.240.50

						5.2 Ah		
>>> 2)	30 min	45 min	50 min	60 min	90 min	120 min	135 min	180 min



¹⁾ Battery capacity
2) Max. operating time per battery charge in idle mode

CORDLESS SURFACE BRUSHES 18 V



PICOBELLA 18/90

Working width: 90-170 mm

Bristle length: 20-50 mm

Idle speed: 190 - 350 min-1

2-in-1 function: Wet and dry cleaning

■ Incl.: Brush MEDIUM 90/20, brush SOFT 120/50, 3-piece cleaning set (white/blue/green) and wall holder

Article only available without battery / charger Art. No. 34,242,20

				3.0 Ah		5.2 Ah		
>>> 2)	110-160	150-210	190-260	225-315	300-420	390-550	450-630	600-840
	min							

Battery capacity



ACCESSORIES / SPARE PARTS

PAD SET

(Art. No. 34.241.34) consisting of

- MELAMINE FOAM PAD for cleaning plastic, walls, doors,
- MICROFIBRE PAD for cleaning glass, metal, aluminium, etc.
- KITCHEN FIBRE PAD for cleaning tempered glass, cast iron pans/pots, etc.

- **BRUSH MEDIUM 90/20** (Art. No. 34.241.32) for cleaning stone, tiles, concrete
- **BRUSH SOFT 120/50** (Art. No. 34.241.31) for cleaning window sills, garden furniture, shower, etc.
- **BRUSH SOFT 170/40** (Art. No. 34.241.30) for cleaning car rims, roller shutters, garage doors, etc.
- BRUSH ULTRA 95/25 (BRASS) (Art. No. 34.241.33) for cleaning cast iron and enamelled grill grates, fine sanding works or paint removal on wood, stone and metal, etc.

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed



CORDLESS SURFACE BRUSHES 18 V

PICOBELLA 18/215

Max. working width: 215 mm

■ Diameter of brush: 115 mm

■ Idle speed: 800 - 1400 min⁻¹

2-in-1 function: Wet and dry cleaning

Incl.: Brush MEDIUM and water control valve

Article only available without battery / charger

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	8-25	10-30	12-34	17-46	20-55	25-70	29-90	40-110
	min							

Art. No. 34.242.00

1) Battery capacity

- Just one work step for thorough, complete wet cleaning thanks to the integrated garden hose connection
- Incl. special side brush for cleaning right to the wall and into edges
- Smooth brush guidance and perfect splash protection thanks to forward/reverse brush operation
- **■** Toolless brush change



²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed





CORDLESS HEDGE TRIMMERS 36 V

GE-CH 36/65 Li

Bar length / cutting length: 720 mm / 650 mm

Spacing between teeth: 30 mm

Article only available without batteries / chargers Art. No. 34.109.60

	1.5 Ah							
>>> 2)	60 min	75 min	93 min	120 min	150 min	180 min	225 min	300 min



GE-CH 36/61 Li

Bar length / cutting length: 670 mm / 610 mm

Spacing between teeth: 26 mm

Article only available without batteries / chargers Art. No. 34.109.65

		2.0 Ah						
>>> 2)	54 min	72 min	80 min	105 min	144 min	168 min	210 min	288 min



136

Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode



CORDLESS HEDGE TRIMMERS 18 V

GE-CH 18/60 Li

- Bar length / cutting length: 670 mm / 600 mm
- Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 34.109.30

	1.5 Ah							
>>> 2)	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



ARCURRA 18/55

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.109.20

						5.2 Ah		
>>>> 2)	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



Battery capacity
 Max. operating time per battery charge in idle mode





CORDLESS HEDGE TRIMMERS 18 V

GC-CH 1855/1 Li

Bar length / cutting length: 620 mm / 550 mm

Spacing between teeth: 18 mm

Incl. 1 battery (18 V | 2.5 Ah | Li-lon) and 1 charger Art. No. 34.105.06 Without battery / charger Art. No. 34.105.02

				3.0 Ah				
>>> 2)	60 min	80 min	100 min	120 min	160 min	210 min	240 min	360 min

Turnable rear handle Laser-cut and diamond-ground blades ■ Metal gear box

GC-CH 18/50 Li

Bar length / cutting length: 550 mm / 500 mm

Spacing between teeth: 17 mm

Article only available without battery / charger Art. No. 34.109.45

		2.0 Ah						
>>> 2)	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min



138

Battery capacity
 Max. operating time per battery charge in idle mode



CORDLESS HEDGE TRIMMERS 18 V

GC-CH 1846 Li

Bar length / cutting length: 520 mm / 460 mm

Spacing between teeth: 15 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.106.83 Without battery / charger Art. No. 34.106.42

							6.0 Ah	
>>> 2)	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min



GC-CH 18/40 Li

Bar length / cutting length: 475 mm / 400 mm

Spacing between teeth: 13 mm

Article only available without battery / charger Art. No. 34.109.40

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min



Battery capacity
 Max. operating time per battery charge in idle mode





- Bar length (chainsaw): 200 mm
- Chain cutting speed: 10 m/s

- Blade length of hedge trimmer: 450 mm
 Spacing between teeth (hedge trimmer): 24 mm
 Cutting width line spool / 3-teeth blade: 33 cm / 25.5 cm

Article only available without batteries / chargers Art. No. 34.109.01

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	26 min	34 min	41 min	54 min	68 min	86 min	108 min	136 min
>>> 3)	20 min	27 min	33 min	44 min	54 min	66 min	88 min	108 min
>>> 4)	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min
>>> 5)	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs

- Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode (scythe)
 Max. operating time per battery charge in idle mode (lawn trimmer)
 Max. operating time per battery charge in idle mode (lelescopic hedge trimmer)
 Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)



CORDLESS MULTIFUNCTIONAL TOOL 18 V

GE-HC 18 Li T

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 3.76 m/s
- Max. cutting length (hedge trimmer): 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.108.05 Without battery / charger Art. No. 34.108.00

	1.5 Ah							
>>> 2)	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
>>> 3)	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

- Battery capacity
 Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)
 Max. operating time per battery charge in idle mode (telescopic hedge trimmer)



CORDLESS POLE-MOUNTED PRUNERS ACCESSORY

Hedge Trimmer

Can be used for: GE-LC 18 Li T

Art. No. 34.108.18



CORDLESS TELESCOPIC **HEDGE TRIMMERS ACCESSORY**

Pole Pruner

Can be used for: GE-HH 18/45 Li T

Art. No. 34.108.35





FITTED WITH **OREGO CHAIN AND BAR**

CORDLESS POLE-MOUNTED PRUNERS 18 V

GE-LC 18 Li T

Bar length / cutting length: 200 mm / 170 mm

Cutting speed: 3.76 m/s

Article only available without battery / charger Art. No. 34.108.10

			2.5 Ah					
>>> 2)	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

For best performance select a battery with at least 2.5 Ah



■ 90° swivel attachment for horizontal cuts

■ Main handle + motor head tiltable by several settings

■ Toolless chain tensioning and changing



Bar length / cutting length: 200 mm / 195 mm

Cutting speed: 5.5 m/s

GC-LC 18/20 Li T

Article only available without battery / charger Art. No. 34.105.81

						5.2 Ah		
>>> 2)	37 pcs	50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

For best performance select a battery with at least 2.5 Ah

- Battery capacity
 Max. cuts through 70 x 70 mm square timber per battery charge

 Telescopic aluminium handle with extension Automatic chain lubrication ■ Metal gear box





CORDLESS TELESCOPIC HEDGE TRIMMERS 18 V

GE-HH 18/45 Li T

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger Art. No. 34.108.66

		2.0 Ah						
>>> 2)	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

GC-HH 18/45 Li T

- Bar length / cutting length: 450 mm / 410 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.105.85

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min



Battery capacity
 Max. operating time per battery charge in idle mode





GE-FS 18/53 Li

- Working width: 28 53 cm
 Length of shaft: 92 182 cm
 Length of carbon tines: 31 cm
 Diameter of carbon tines: 5 mm

Article only available without battery / charger Art. No. 34.114.00

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2	20 min	27 min	34 min	40 min	54 min	69 min	80 min	108 min
>>> 2	34 min	45 min	56 min	68 min	90 min	117 min	136 min	181 min

- Battery capacity
 Max. operating time per battery charge in idle mode at max. speed
 Max. operating time per battery charge in idle mode at min. speed

CORDLESS PRUNING CHAINSAW 18 V





- Brushless motor more power, prolonged operation
- Slim and lightweight design for ergonomic operation
- Suitable for pruning and shaping trees and bushes, shredding green cuttings and cutting squared timber

GE-PS 18/15 Li Brushless

- Bar length / cutting length: 158 mm / 125 mm
- Cutting speed: 4.8 m/s
- Product weight: 1.1 kg (excl. battery)

Article only available without battery / charger Art. No. 46.000.40

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	95 pcs	127 pcs	158 pcs	190 pcs	254 pcs	329 pcs	380 pcs	506 pcs

- Battery capacity
 Max. cuts per battery charge through soft roundwood (ø 50 mm)





CORDLESS CHAINSAWS 18 V





- Brushless motor more power, prolonged operation
- Adjustable chain speed, depending on the application
- Toolless chain tensioning and changing

FORTEXXA 18/30

- Bar length / cutting length: 300 mm / 270 mm
 Cutting speed Eco/High: 6.0 / 8.9 m/s
 Oil tank capacity: 160 ml

Article only available without battery / charger Art. No. 46.000.10

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	53 pcs	70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs
>>> 3)	59 pcs	78 pcs	98 pcs	117 pcs	156 pcs	203 pcs	234 pcs	312 pcs

For best performance select a battery with at least 4.0 Ah

- Battery capacity
 Max. cuts through 70 x 70 mm square timber per battery charge in HIGH POWER mode
 Max. cuts through 70 x 70 mm square timber per battery charge in ECO mode





CORDLESS CHAINSAWS 18 V

GE-LC 18/25-1 Li

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 4.5 m/s
- Oil tank capacity: 200 ml

Incl. 1 battery (18 V | 3.0 Ah | Li-lon) and 1 charger Art. No. 45.017.60 Without battery / charger Art. No. 45.017.61

		2.0 Ah						
>>> 2)	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

For best performance select a battery with at least 2.5 Ah



Automatic chain lubrication

Sturdy stop claws made of metal

CORDLESS CHAIN SHARPENER 18 V

GE-CS 18 Li

- Grinding wheel diameter (inside): 23 mm
- Grinding wheel diameter (outside): 108 mm
- Grinding wheel thickness: 3.2 mm

Article only available without battery / charger Art. No. 44.999.40

			2.5 Ah					
>>> 2)	180 min	240 min	300 min	390 min	480 min	660 min	780 min	960 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting of the grinding angle
- Clamping device



¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge



CORDLESS LEAF VACUUMS 36 V

GE-CL 36 Li E Brushless

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m³/h
- Shredding function: 10:1

Article only available without batteries / chargers Art. No. 34.336.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	9-20	10-30	13-35	17-45	22-65	27-90	30-100	44-130
	min							
>>> 4)	10-30	13-35	16-40	21-60	27-75	32-105	39-120	54-150
	min							

For best performance select batteries with at least 2.5 Ah

GE-CL 36/230 Li E

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m³/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blow) and 4.4 kg (vacuum)

Article only available without batteries / chargers Art. No. 34.336.30

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min
>>> 3)	4 min	5 min	7 min	11 min	13 min	17 min	20 min	26 min
>>> 4)	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
>>> 5)	6 min	7 min	8 min	13 min	15 min	20 min	23 min	30 min

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
 Max. operating time per battery charge in idle mode (TURBO vacuuming mode)



- Brushless motor more power, prolonged operation
- Toolless change between suction and blowing function
- Electronic speed control







- TWIN-PACK 18V] + 18V] 36 V TECHNOLOGY
- Incl. one wide suction tube and one narrow blowing tube
- Toolless change between suction and blowing function
- **Electronic speed control with** turbo function

 $^{^{9}\,}$ Max. operating time per battery charge in idle mode (blowing mode) — dependent on the selected speed $^{9}\,$ Max. operating time per battery charge in idle mode (TURBO blowing mode)

CORDLESS LEAF VACUUM 18 V



VENTURRO 18/210

Max. blow velocity: 210 km/h

Max. suction power: 500 m³/h

Shredding function: 10:1 ■ Product weight: 3.0 kg

Article only available without battery / charger Art. No. 34.336.25

IIII) 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	0-12	0-14	5-18	7-20	9-30	11-42	15-45	18-60
	min							
>>> 3)	3-10	4-15	5-19	7-22	9-32	13-40	14-48	18-64
	min							

For best performance select a battery with at least 3.0 Ah

- Battery capacity
 Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
 Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed





CORDLESS UNIVERSAL BLOWER 18 V

GE-UB 18/250 Li E

- Max. blow velocity: 250 km/h
- Max. blowing air flow: 120 m³/h
- Idle speed: 4500 15000 min⁻¹
- Product weight: 1.1 kg

Article only available without battery / charger Art. No. 34.335.42

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	7-48	10-65	12-80	14-96	20-130	24-166	28-192	40-260
	min							

For best performance select a battery with at least 2.5 Ah



CORDLESS LEAF BLOWER 18 V

GC-CL 18 Li E

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 105 m³/h
- Idle speed: 1400 12000 min⁻¹

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.335.33 Without battery / charger Art. No. 34.335.32

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	10-180	14-240	16-300	20-390	26-480	40-660	42-720	52-960
	min							

- 1) Battery capacity 2) Max. operating time per battery charge in idle mode – dependent on the selected speed



CORDLESS KNIFE SHREDDER 36 V



- 3 reversible blades made of special steel for efficient shredding
- Foldable cover to protect the batteries
- Large fold-down hopper with safety lock
- Incl. high-quality shredding bag and tamper





REDAXXO 36/25

- Idle speed: 3000 min-1
- Max. branch diameter: 25 mm
- Sound power level LWA: 100 dB (A)

Article only available without battery / charger Art. No. 34.307.10

							6.0 Ah	
>>> 2)	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min

For best performance select batteries with at least 5.2 Ah

- Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode





CORDLESS GRASS AND SHRUB SHEARS 18 V

GE-CG 18/100 Li T

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.10

		2.0 Ah						
>>> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

GE-CG 18/100 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.13

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

GC-CG 18 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.70

				3.0 Ah				
>>> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

- Battery capacity
- 2) Max. operating time per battery charge in idle mode

Blade change without tools

Laser-cut and diamond-ground blades

Telescopic long handle



- Blade change without tools
- Laser-cut and diamond-ground blades
- Covered gearbox protecting customer to get in touch with gear oil

- Blade change without tools
- Laser-cut and diamond-ground blades
- Metal gear box







CORDLESS GRASS SHEARS 18 V

GC-CG 18/1 Li

Cutting width with grass shear blade: 100 mm

Article only available without battery / charger Art. No. 34.103.82

		2.0 Ah						
>>> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

Battery capacity



- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip perfect handling and grip

CORDLESS PRUNING SAW 18 V

GE-GS 18/150 Li

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 80 mm / 100 mm

Article only available without battery / charger Art. No. 34.082.90

		2.0 Ah						
>>>> 2)	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs

Battery capacity

- 2x KWB high quality saw blades "Made in Switzerland"
- Blade change without tools
- Long-life metal gearing



CORDLESS PRUNING SHEARS 18 V

GE-LS 18 Li

Cutting capacity: 28 mm

Article only available without battery / charger Art. No. 34.083.00

					4.0 Ah			
333 2)	1070 pcs	1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs

¹⁾ Battery capacity



- High-quality bypass blades for efficient cutting work
- **■** Belt clip for optimum carrying comfort
- Slim and ergonomic design for effortless working

²⁾ Max. operating time per battery charge in idle mode

²⁾ Max. cuts per battery charge through roundwood (ø 60 mm)

²⁾ Max. cuts per battery charge through round dry beech wood (ø 15 mm)





CORDLESS PRESSURE SPRAYERS 18 V

GE-WS 18/150 Li

- Filling capacity of the tank: 15 l
- Max. spraying pressure: 4.5 bar
 Flow rate: 102 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.30

	1.5 Ah							
>>> 2)	2 h	2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

GE-WS 18/75 Li

- Filling capacity of the tank: 7.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.20

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>>> 2)	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



CORDLESS PRESSURE SPRAYERS 18 V

GE-WS 18/35 Li

- Filling capacity of the tank: 3.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.10

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	5 h							



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

GE-WS 18/10 Li

- Filling capacity of the tank: 1 l
- Max. spraying pressure: 1.3 bar
- Flow rate: 9.6 l/h

Article only available without battery / charger Art. No. 34,252,40

IIII) 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	12 h	16 h	20 h	24 h	32 h	42 h	48 h	64 h

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



Battery capacity
 Max. operating time per battery charge in idle mode



ACCESSORY - BATTERY BELT

GE-PB 36/18 Li

- Number of battery pockets: 2 pcs
- Cable length: 150 cm
- Length of hip belt: 150 cm

Article only available without batteries / chargers Art. No. 34.083.10

- Multifunctional for 36 V and 18 V devices
- Padded carrying strap
- Large buckle for easy opening and closing





- Infinitely variable adjustment of the fan head
- 3 settings for adjusting the air flow
- Universal use thanks to numerous fastening options

CORDLESS FAN 18 V

GE-CF 18/2200 Li

- Fan speed: 1200 / 1700 / 2200 rpm
- Wind speed: 15000 m/h Fan diameter: 180 mm Swiveling range: 0° - 360°

Article only available without battery / charger Art. No. 34.080.35

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	5.3 h	7 h	8.8 h	10.6 h	14 h	18.3 h	21.2 h	28 h
>>> 3)	2 h	2.6 h	3.3 h	4 h	5.3 h	7 h	8 h	10.6 h

²⁾ Max, operating time per battery charge at min, revolutions 3) Max, operating time per battery charge at max, revolutions

GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY

GE-HG 18/370 Niro Li

1) Battery capacity

- Heating output: 37 kW
- Hot air flow: 1000 m³/h
- Max. gas consumption: 2693 g/h
- Max. operating pressure: 1.5 bar

Article only available without battery / charger Art. No. 23.308.05

(1111) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	90 min	140 min	160 min	180 min	280 min	330 min	380 min	560 min
1) Battery	capacity	2) Max. op	erating time	per battery ch	narge			

²⁾ Max. operating time per battery charge



- No power supply necessary
- Housing made of stainless steel
- Piezo ignition



Article only available in Germany and Austria



CORDLESS HOSE REELS (WATER) 18 V

GE-HR 18/30 Li

PXC battery voltage / capacity: 18 V / -

■ Garden hose length: 30 m

■ Garden hose diameter: 12.5 mm (1/2")

Connection hose length: 1.5 m

Connection hose diameter: 12.5 mm (1/2")

 Swivelling range: 180° Product weight: 12.1 kg

Article only available without battery / charger Art. No. 41.737.70

					•			
1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>>> 2)	25 x	33x	42x	50x	66x	86x	100x	132x
>>> 3)	17x	22x	28x	34x	44x	57x	68x	88x





Wall bracket incl. dowels and screws

■ Maintenance flap

Patented hose guide system

Cleaning brushes on the feed

GE-HR 18/30 WH Li

PXC battery voltage / capacity: 18 V / -

Garden hose length: [30 m]*

■ Garden hose diameter: [12.5 mm (1/2")]*

Connection hose length: 1.5 m

Connection hose diameter: 12.5 mm (1/2")

 Swivelling range: 180° Product weight: 8.5 kg

Article only available without battery / charger Art. No. 41.737.71

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	25 x	33x	42x	50x	66x	86x	100x	132x
>>> 3)	17x	22x	28x	34x	44x	57x	68x	88x

- Wall bracket incl. dowels and screws
- Maintenance flap
- Patented hose guide system
- Cleaning brushes on the feed







Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")
 Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")

^{*} Hose not included in scope of deliver



CORDLESS AUTOMATIC GARDEN PUMP 36 V

AQUINNA 36/38 F LED AUTOMATIC

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.20

(1111) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
>>> 3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min







- Automatic function and dry running protection
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)
- Suction, water filling and dirt indicator

CORDLESS GARDEN PUMPS 36 V

AOUINNA 36/38 F LED

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.10

III) 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
>>> 3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min





- Water filling and dirt indicator
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)



¹⁾ Battery capacity (2x batteries required)

Max. operating time in BOOST mode per battery charge
 Max. operating time in ECO mode per battery charge



CORDLESS GARDEN PUMPS 36 V

AQUINNA 36/34

- Max. delivery capacity / height: 3400 l/h / 35 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.50

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
		16 min						
>>> 3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min





- Water filler screw
- Water filling and dirt indicator
- 2-step switch (ECO/BOOST mode)





AQUINNA 36/30

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (11/4") ET / 33.3 mm (1") IT
- Incl.: Suction side adapter to reduce to 33.3 mm (1") ET

Article only available without batteries / chargers Art. No. 41.804.00

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
>>> 3)	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min







- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/ BOOST mode)

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time in BOOST mode per battery charge

³⁾ Max. operating time in ECO mode per battery charge



CORDLESS GARDEN PUMPS 18 V

AQUINNA 18/30 F LED

- Max. delivery capacity / height: 3000 l/h /28 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without battery / charger Art. No. 41.804.30

()	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
>>> 3)	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
>>> 4)	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
>>> 5)	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

- 1) Battery capacity

- Max. operating time in BOOST mode with 1x 18 V battery per battery charge
 Max. operating time in ECO mode with 1x 18 V battery per battery charge
 Max. operating time in BOOST mode with 2x 18 V batteries per battery charge
- 5) Max. operating time in ECO mode with 2x 18 V batteries per battery charge





- Double Runtime Technology -2 battery slots - double runtime works also with one battery
- Water filling and dirt indicator
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)

AQUINNA 18/28

- Max. delivery capacity / height: 2800 l/h / 25 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without battery / charger Art. No. 41.804.40

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
								56 min
>>> 3)	14 min	18 min	22 min	27 min	36 min	47 min	54 min	72 min

- 1) Battery capacity
- 2) Max. operating time in BOOST mode per battery charge
- 3) Max. operating time in ECO mode per battery charge




- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)






CORDLESS SUBMERSIBLE PRESSURE / RAIN BARREL PUMP 18 V



Infinitely adjustable telescopic connection pipe









GE-PP 18 RB Li

- Max. delivery height / pressure: 20 m / 2 bar
 Max. delivery capacity: 3000 l/h
 Max. immersion depth: 4 m

Article only available without battery / charger Art. No. 41.704.29

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	12 min	15 min	20 min	25 min	30 min	35 min	45 min	60 min

1) Battery capacity



²⁾ Max. operating time per battery charge in idle mode



CORDLESS CLEAR WATER PUMPS 18 V

GE-SP 18 Li

- Max. delivery capacity / height: 5000 l/h / 8 m
 Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.00

								8.0 Ah
>>> 2)	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate

GE-SP 18 LL Li

- Max. delivery capacity / height: 4500 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.60

(III) 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min





- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor low level suction

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



CORDLESS DIRTY WATER PUMPS 18 V

GE-DP 18/25 Li

- Max. delivery capacity / height: 7500 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Incl.: Universal connection for 25 mm / 33.3 mm / hoses of up to 11/2"

Article only available without battery / charger Art. No. 41.815.80

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
>>> 3)	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)



GE-DP 18/25 LL Li

- Max. delivery capacity / height: 7000 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Incl.: Universal connection for 25 mm / 33.3 mm / hoses of up to 11/2"

Article only available without battery / charger Art. No. 41.815.90

IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> 2)	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
>>> 3)	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- min. SUCTION DEPTH down to 1 mm
- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)
- 2-in-1 function: pumping clear water and dirty water

Max. operating time in BOOST mode per battery charge Max. operating time in ECO mode per battery charge





NO CHANCE FOR DUST AND WATER.

Officially tested according to IP57 protection class.*



WHAT DOES IP57 MEAN?

DUST 5

7 WATER

Protected from all types of foreign bodies and dust - be it wood, brick or metal.





Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.







In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

^{*} Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery



ACCESSORIES - BATTERIES









4.0 Ah SEALED Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
 Battery power: max. 900 W

Art. No. 45.116.27









3.0 Ah SEALED Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.116.18





ACCESSORIES – BATTERIES











5-8 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 8.0 Ah or 5.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.116.00











4-6 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.115.02

With display: **Accurate battery** charge indication as a percentage

IT'S YOUR CHOICE.



WHAT DOES MULTI-AH MEAN?

Thanks to MULTI-Ah technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers them maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).





- 1) In comparison to every standard lithium-ion battery
- 2) In comparison to the 5 Ah battery





CLIMATE PROTECTION PROJECTS AT CLIMATEPARTNER

To compensate the CO₂ emissions of our Power X-Change batteries we are supporting climate protection projects in the areas of

sustainable power generation and marine conservation. The compensation covers CO₂ emissions of the battery types 3.0 Ah Plus, 4.0 Ah Plus, 4-6 Ah Multi-Ah Plus and 5-8 Ah Multi-Ah Plus from production to sales.

The climate protection projects selected via ClimatePartner are certified in accordance with international standards such as Verified Carbon Standard (VCS) or Gold Standard (GS) and are regularly checked by independent third-parties. This assures and confirms the climate protection impact of the projects (CO₂ reduction) on a regular basis.

For detailed information use the QR code.




4.0 Ah BATTERY – 4.0 Ah PLUS BATTERY. WHERE'S THE DIFFERENCE?

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12 % lighter and 13 % more compact than their predecessors – at 100 % power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



^{*)} in comparison to the conventional 4 Ah battery

ACCESSORIES - BATTERIES







5.2 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.114.37









4.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.53











3.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.01



ACCESSORIES – BATTERIES





4.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.113.96







2.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.0 Ah
- Battery power: max. 450 W

Art. No. 45.113.95

POWER X-CHANGE BATTERY ACCESSORY





- Endless extendable to store an unlimited amount of batteries.
- Simple assembling due to tongue and groove connection
- Snap-in function for battery ensures fixation in any position

Battery Mounting Gadget

- Items supplied: 2 battery mounting gadgets, 4 screws, 4 dowels
- Can be used for: all Power X-Change batteries

Art. No. 45.141.55





■ Protects the battery against dust and moisture

Battery Protector

- Items supplied: 1 battery cover
- Suitable for (batteries): all Power X-Change batteries
- Can be used for (devices): HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li

Art. No. 41.401.51



ACCESSORIES – TWIN-PACKS









2x 5.2 Ah Power X-Change Plus Twin-Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 5.2 Ah
- Battery power: max. 2x 1260 W

Art. No. 45.115.26









2x 4.0 Ah Power X-Change Plus Twin-Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.116.29









2x 3.0 Ah Power X-Change Plus Twin-Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 3.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.116.31







2x 4.0 Ah Power X-Change Twin-Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.114.89



ACCESSORIES – STARTER KITS









2x 4.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.121.12









4-6 Ah PXC Boost Charger Starter Kit

- Items supplied: 1 battery + 1 Power X-Boostcharger 6 A
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)

READY TO GO IN 60 min

Battery power: max. 1350 W

Art. No. 45.121.43



Ready To Go means:

The battery is ready for use. It can remain in the charger for full, low-stress charging up to 100 %.









5.2 Ah PXC Fastcharger Starter Kit

- Items supplied: 1 battery + 1 Power X-Fastcharger 4 A
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.121.14







4.0 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.120.42







2.5 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.120.97



ACCESSORIES - CHARGERS





- Multi charger for parallel charging of up to 4 batteries
- Always charge two batteries at the same time
- Carrying handle for easy transport

2x2 Power X-Quattro Charger 4 A

- Items supplied: 1 charger
- Can be used for: all Power X-Change batteries
- Charging current: 4 A per slot (2x2 parallel charging)

Art. No. 45.121.02

- **■** Extremely short charging time
- Integrated wall mount

Power X-Boost Charger 8 A

- Items supplied: 1 charger
- Can be used for: all Power X-Change batteries
- Charging current: 3 8 A
- Boost mode: 8 A can be selected for lightning speed

Art. No. 45.121.55



Power X-Boost Charger 6 A

- Items supplied: 1 charger
- Can be used for: all Power X-Change batteries
- Charging current: 3 6 A
- Boost mode: 6 A can be selected for lightning speed

Art. No. 45.120.64





ACCESSORIES - CHARGERS

- Always charge two batteries at the same time
- Integrated wall mount

Power X-Twincharger 3 A

- Items supplied: 1 charger
- Can be used for: all Power X-Change batteries
- Charging current: 3 A per slot (parallel charging)

Art. No. 45.120.69

Integrated wall mount

Power X-Fastcharger 4 A

- Items supplied: 1 charger
- Can be used for: all Power X-Change batteries
- Charging current: 4 A

Art. No. 45.121.03

OUT-AND-ABOUT AND NO POWER SOCKET AVAILABLE? NO PROBLEM THANKS TO EINHELL!

- 12 V-socket enables charging the Power X-Change battery in the car Protection electronics for the car
- battery


Power X-Car Charger 3 A

- Items supplied: 1 charger
- Can be used for: all Power X-Change batteries
- Charging current: 3 A

Art. No. 45.121.13

POWER X-CAR CHARGER

POWER X-CAR CHARGER PROTECTION ELECTRONICS FOR THE CAR BATTERY





1. The car battery is weak

Charging stops and both indicator lights blink in alternation the car battery is protected from further discharge. In this state the car can still be started.

2. The car battery is empty

The indicator lights go out - the car battery is protected from exhaustive discharge.



BATTERY CHARGING TIME TABLE





^{**} Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.



CORDLESS EXCELLENCE THAT CONVINCES.

ONLY FROM EINHELL.



THE POWER X-CHANGE PARTNERS. STRONG COLLABORATIONS WITH STRONG PRODUCTS.

"Cordless freedom for everyone." This is the vision of the Einhell brand. It is widely known already that the cordless screwdrivers, circular saws, lawn mowers and all other members of the Power X-Change team can be operated using one and the same battery. To give our customers access to many more Power X-Change applications beyond the workshop and garden we have opened our cordless platform to cooperation partners from other areas. Diverse platform partners are already using our Power X-Change batteries in their own products – and the number is constantly rising!

MISSION GAMING FUN WITH CORDLESS POWER

Ride-On Audi R8 Spyder from Jamara

- Dimensions (l x w x h): 106 × 62 × 34 cm
- Top speed: approx. 5 km/h
- Max. weight: 25 kg

Article only available without batteries / chargers Art. No. 60,000,13

Other colors are available at www.lamara-shop.com

- 2 wheel drives with 2 powerful drive motors
- Bluetooth and USB connection for music
- Chassis suspension at the rear
- Sport type steering wheel and LED headlights



CAMPING WITH E.POWER TECHNOLOGY

Knaus/Weinsberg - Caravan Charger

Users of select caravan models from Knaus and Weinsberg can operate their refrigerator, water pump and light with our Power X-Change batteries for up to 10 hours. In other words, the customer can supply his caravan independently with energy for a whole night. And of course he can remove the battery at any time for use in any one of the other 300+ cordless devices such as a cordless vacuum cleaner or a cordless compressor. What could be more perfect than our Power X-Change battery for your next camping trip!?



To learn more, go to www.knaus.com

POND CARE WITH POWER X-CHANGE

Pond sludge vacuum cleaner type F636-PXC from Heissner

Heissner, our platform partner and specialist for ponds, pools and garden lighting, has created the perfect cordless garden helper in the form of its F636-PXC pond sludge vacuum cleaner. The wet and dry vac with self-emptying function is perfect for cleaning small ponds and for emptying pools, paddling pools and much more besides. All of this thanks to the cordless freedom of Power X-Change.

E-MOBILITY WITH POWER X-CHANGE

The FOLDY-E folding bike from Vecocraft

Vecocraft, another platform partner, relies on our Power X-Change batteries for its folding E-bike. A range of up to 35 km is possible with two 18 V Power X-Change batteries. The compact 20 inch aluminium folding E-bike is notable for its low weight and folded dimensions of just $860 \times 500 \times 640$ mm. This means it can easily be taken with you in a car or on public transport.

UNLIMITED SUCTION THANKS TO CORDLESS BATTERY CHANGE-OVER SYSTEM

SEPURO stick vacuum cleaner from Severin

Severin trusts in the Power X-Change cordless platform for its SEPURO range of innovative handheld and stick vacuum cleaners. With the 3.0 Ah battery included on delivery, the SEPURO PRO achieves either a running time of up to 60 minutes or uninterrupted suction thanks to its battery changeover system! Plus – the vac guarantees uncompromising cleanliness. Whether you prefer the model with a dust bag or without, this cordless vac sets new standards in terms of hygiene and is also allergy-friendly.





EINHELL IS A PROUD PARTNER OF MERCEDES-AMG PETRONAS F1 TEAM.














Official Home & Garden Expert





Einhell Germany AG

Wiesenweg 22 94405 Landau/Isar Germany

info@einhell.de www.einhell.de

Einhell-Service

Eschenstr. 6 94405 Landau/Isar Germany

Tel. +49 (0) 9951 959 2000

Service-DE@einhell.com www.einhell-service.de

einhell.de

>>>